


Systems, Man, decomputer & Cybernetics Society IEEE

society

ICAT 2013 BOOKLET



XXIV International Conference on Information, Communication and Automation **Technologies**

October 30 - November 01, 2013

Sarajevo, Bosnia and Herzegovina



XXIV International Conference on Information, Communication and Automation Technologies

October 30 – November 01, 2013

Sarajevo, Bosnia and Herzegovina

Organized by



Faculty of Electrical Engineering Sarajevo

Contents

Welcome message	
General information	
Date and place	
ICAT 2013 Secretariat	
Official language	
Registration	
Internet access	
Message center	
Social events	
Opening Ceremony	
Welcome Cocktail	
Conference Gala Dinner	
Organization	
Committees Local Organizing committee	
International Program Committee	
General Chairs	
Program Chairs	
Program Committee Members	
Additional Reviewers.	
ABSTRACTS of the XXIV International Conference on Information, Communication and Automation Technologies	3 ICAT
2013.	
Wednesday, 30.10.2013	
Plenary Talk 1: Magdi Sadek Mahmoud: "An Introduction to Wireless Automation"	
An Introduction to Wireless Automation	
Plenary Talk 2: Veljko Milutinović: "SuperComputers: ControlFlow versus DataFlow"	15
SuperComputers: ControlFlow versus DataFlow	15
Session 1: Networked Based Systems and Control	
Adaptive Scalable Rate Control over IEEE 802.15.4 using Particle Swarm Optimization	
Predictive Monitoring of Train Wagons Conditions Using Wireless Network Technologies	
Resilient Decentralized Stabilization of Interconnected Networked Systems	
Automatic FIBEX Generation from CANdb for FlexRay Network	
Consensus over Multi-Hop Networked Systems subject to Heterogeneous Time Delays	
Cooperative Load Balancing Algorithm in multiple bottleneck Networks	
Tutorial 1: Control Allocation & Fault-Tolerant Control Systems	
Control Allocation & Fault-Tolerant Control Systems	
Session 2: Control Applications Hierarchical Control of Combined Power Control Resources Mitigating Local Power Grid Fluctuations	
Disturbance Observer based Control of the Nonlinear 2DOF Helicopter System	
Estimation and control of brush pressure by using IMC based controller	
Dynamical Compensation of Bounded External Impacts for Yaw Stabilisation System	
Modal Synthesis of Astatic Controllers for Yaw Stabization System	
Design of the image-based satellite attitude control algorithm	
Session 3: Data Mining and Web Information Systems	
Using Closed Frequent Sets to Cluster Malwares	
Importance of Stable Velocity in Agile Maintenance	
A Parallel Algorithm to Induce Decision Trees for Large Datasets	18
Selecting Samples for Labeling in Unbalanced Streaming Data Environments	18
ReadGoGoI: Towards Real-Time Notification on Readers' State of Attention	
New Web Information Retrieval paradigm based on a Multi-Space Interpretation Index and Proj	
operations	
Session 4: Electric Machines, Drives and Inverters	
A Novel Approach to Analytically Modeling Switched Reluctance Machine	19
The Effects of Magnetic Circuit Geometry on Torque Generation of 8/14 Switched Reluctance Machin	ie19
Optimal Flux Control of Elevator Drive	
Control and estimation scheme for PV central inverters.	
On-line parameter tuning of discontinous fuzzy friction compensator in linear drive An Algorithm for Boost Converter Efficiency Optimization	20
Workshop 1: Rohde Schwarz Industrial Presentations Regional Initiative: TV WEB	0∠ סר
Round table: Internet of Things	∠∪ 21
Round table: Internet of Things	
Thursday, 31.10.2013.	
Plenary Talk 3: Eduardo Camacho: "Control of Solar Energy Systems"	
Control of Solar Energy Systems.	
Session 5: Adaptive, robust and optimal control	22
Mixed Sensitivity Based Dynamical Anti-Windup Compensator Design using LMI: An Applicat	ion to

Constrained Hot Air Blower System	
Exponential Stability Analysis of Markovian Jump Nonlinear Systems with Mixed Time Delays and Pa	artially
Known Transition Probabilities.	
A Passivity Approach to Control of Markovian Jump Systems with Mixed Time-Varying Delays State Dependent Riccati Equation Based Model Reference Adaptive Control Design for Nonlinear Sy	
Emulation Design based Linear Quadratic Regulation	23
Linear Quadratic Tracking for Noisy Signal with State Space Recursive Least Squares Noise Rejection	
Workshop 2: Safety Aspects for Automation and Process Industries	23
Tool to Derive and Calculate Safety Parameter	23
A possible Approach for Determining Safety Parameters for Safety Integrated Circuits	
Safety requirements and safety functions for decentralized controlled autonomous systems	
Optimization of Diagnostics with Respect to the Diagnostic Coverage and the Cost Function	
A Survey on OPC and OPC-UA	
Session 6: Model based, Predictive and Distributed Control	
Model Based Predictive Peak Observer Method in Parameter Tuning of PI Controllers	
Exploiting Parallelization in Explicit Model Predictive Control Distributed Feedforward Control of Vehicle Dynamics based on Event-Triggered Optimization	
Output Disturbance Rejection Using Parallel Model Predictive Control	
A Fault-Tolerant Distributed Feedback Control Concept for Chassis Control Systems	
Mathematical Modeling of Vehicle Frontal Crash by a Double Spring-Mass-Damper Model	
Tutorial 2: Enhancing Customer Experience over Broadband Access Networks	
Enhancing Customer Experience over Broadband Access Networks	
Session 7: Intelligent Systems and Applications.	
A novel Evolution Strategy for Constrained Optimization in Engineering Design	
Intrusion Detection using Neural Network Committee Machine	
An Intelligent System for Inspection and Selection of Parts in a Manufacturing Cell	26
Fuzzy Pitch Angle Control of Wind Hybrid Turbine To Power Quality Improvement	26
Recognizing Actions with the Associative Self-Organizing Map	27
Current and Future Trends in Al	
Session 8: Mathematical Methods in Engineering	27
Matrix-based Improvement of Nodal Analysis for Circuits with Singularities	27
Solving Laplace Differential Equation Using Markov Chains in Monte Carlo Method	27
A Dynamic Sampling Methodology for Plasma Etch Processes using Gaussian Process Regression.	
On Pole Placement and Invariant Subspaces	
Calculation of Traversing Time Distributions in Semi-Markov Chains with Application on Petri Nets Friday, 01.11.2013	
Plenary Talk 4: Bruno Siciliano: "Grasping and Control of Multi-fingered Hands"	29 20
Grasping and Control of Multi-fingered Hands	29
Session 9: Robotics and Mechatronics	
Adaptive behavior-based control for robot navigation: a multi-robot case study	
An experimental electronic interface design for a Two-link elastic robotic arm	20
Robotic manipulation in dimensional measurement	
Gradient based adaptive trajectory tracking control for mobile robots	
Design and evaluation of a serial elastic actuator for human assistance	
Dynamic cycle times for adaptive manufacturing control in automotive flow shops	
Tutorial 3: Data Mining from Social and Knowledge Networks	
Data Mining from Social and Knowledge Networks	
Session 10: Modeling, Identification and Simulation	
Closed-loop Frequency-based Identification Method for Hammerstein Type Plants with a Transport	
using a Relay Feedback	
Exact Inversion of TSK Fuzzy Systems With Linear Consequents	
Transportation network model with time delay for flood lamination strategy	
Fault Isolation using Model-on-Demand Algorithm	
Session 11: Image Processing, Analysis and Retrival Evaluation of OpenCL Native Math Functions for Image Processing Algorithms	
Detecting heat sources from 3D thermal model of indoor environment	
The study of the best view selection based on human observer	
A Compact Color Descriptor for Image Retrieval	
Paper ID and Titles	
Author Index	
Notes	

Welcome message

Dear participants and attendees, on behalf of the ICAT 2013 Organizing Committee, it is a great pleasure and honor for me to welcome you all to 24th International Conference on Information, Communication and Automation Technologies (ICAT 2013) and to the hosting city, Sarajevo. I would like to thank the authors who have chosen to present their research results at the ICAT 2013 and to all participants contributing to its success.

ICAT 2013 is an international conference sponsored by Faculty of Electrical Engineering, University of Sarajevo. It is technically co-sponsored by IEEE Control System Society, IEEE Systems, Man and Cybernetics Society and IEEE Computer Society. It aims to create a forum for scientists and practicing engineers throughout the world to present the latest research findings and ideas in the areas of computer science, control systems, communication technologies and power engineering.

ICAT 2013 received a total of 115 submissions from 32 countries/regions. After a rigorous review process assessing the originality and quality of the work as well as the relevance, only 66 papers were accepted and arranged into 11 sessions. The ICAT 2013 program has 2 parallel session tracks. Also, conference includes 3 Tutorials and 2 Workshops, as well as one Round Table. More than 130 distinguished reviewers from worldwide were involved in review process.

The Organizing Committee is proud to announce the participation of prominent keynote speakers to address topics of importance to the ICAT conference. The speakers are: Prof. Bruno Siciliano (University of Naples, Italy), Prof. Eduardo Camacho (University of Seville, Spain), Prof. Veljko Milutinovic (University of Belgrade, Serbia) and Prof. Magdi Mahmoud (KFUPM, KSA).

I wish to take this opportunity to particularly thank all the members of the organizing committee, the program committee and the local arrangement committee for their effort and time that they have poured in over the last half of year. The conference would have not been existent and successful without their hard work.

As always, a conference is a great opportunity to exchange ideas, discuss exciting problems in our field, interact with colleagues, and make new friends. I invite everyone to take advantage of this opportunity and I offer my best wishes to all for an enjoyable and fruitful conference.

I hope you enjoy your stay in Sarajevo both in terms of the technical programme and also socially.

General Chair Jasmin Velagić



Faculty of Electrical Engineering Sarajevo

Technical co-sponsorship



IEEE Control Systems Society

Systems, Man, & Cybernetics Society & IEEE

IEEE Systems, Man & Cybernetics Society



IEEE Computer Society

General information

Date and place

24th International Conference on Information, Communication and Automation Technologies (ICAT 2013) will be held in Sarajevo, Bosnia and Herzegovina, on October 30 - November 01, 2013 in Hotel Bristol Sarajevo.

ICAT 2013 Secretariat

ICAT-2013 Secretariat University of Sarajevo Faculty of Electrical Engineering Sarajevo Campus of the University of Sarajevo Zmaja od Bosne bb, BA-71000 Sarajevo, Bosnia and Herzegovina Phone: +387 33 250 700 Fax: +387 33 250 725 E-Mail: icat@etf.unsa.ba URL: http://icat.etf.unsa.ba

Official language

The official language of the Conference is English. All presentations must be made in official language.

Registration

Registration desk will be opened for registration and general information on:

- Wednesday, 30.10.2013. 08:00-20:00
- Thursday, 31.10.2013. 08:30-18:00
- Friday, 01.11.2013. 08:30-12:00.

Registration fees can be paid in cash at the conference registration desk.

Additional tickets for Gala Dinner and Accompanying Person tickets can be purchased directly at the registration desk.

Internet access

Internet access is available at the hotel premises (ask for internet vouchers at the registration desk).

Message center

Message center will be situated at the Registration desk of the Conference.

Social events

Opening Ceremony

Opening ceremony will take place on Wednesday, 30th of October, 2013, 08:30-09:00.

Welcome Cocktail

Welcome cocktail will take place at *Vapiano Restaurant*, Alta Shopping Center, Franca Lehara 2, Sarajevo (20 minites of walk from the Conference Venue, ask for the directions at Registration Desk). Event will start on Wednesday, 30th of October, at 20:30.

ICAT-2013 Secretariat wants to thank Rohde & Schwarz Austria who are sponsors of the cocktail.

Conference Gala Dinner

Gala dinner will take place at "Park prinčeva", Iza Hrida 7, Sarajevo on Thursday, 31.10.2013 (event will start at 19:00). For all additional information about dinner please ask at the Registration Desk.

Hidden at the very top of the Old city, restaurant "Park prinčeva", has been always the place of gathering for poets, bohemians, travelers and all the people who enshrine Sarajevo.

Interior of the restaurant, carefully designed, as well as the natural surrounding of the very summer garden, can hardly leave you indifferent, and it can certainly respond to the most fastidious tastes and wishes of the respected guests.

While sitting on the terrace of the restaurant, if you try for the moment you could actually feel like prince or princess. All this saturates great compliance of staff, musicians and spell in observing panorama of the City located on the river Miljacka.

And, what can you see?

The city where the cultures of East and West left prominent marks and because it is possible, without even reading a literature, you could read the history of the city by observing numerous historical heritage of Sarajevo. This is the reason why the stay in "Park prinčeva" leaves special impression on the guests about the city, about Bosnia, about what Europe used to be, about the history.

Organization

Committees

Local Organizing committee

Jasmin	Velagic	University of Sarajevo, Bosnia and Herzegovina
Samir	Ribic	University of Sarajevo, Bosnia and Herzegovina
Mesud	Hadzialic	University of Sarajevo, Bosnia and Herzegovina
Salih	Sadovic	University of Sarajevo, Bosnia and Herzegovina
Haris	Supic	University of Sarajevo, Bosnia and Herzegovina
Selma	Rizvic	University of Sarajevo, Bosnia and Herzegovina
Irfan	Turkovic	University of Sarajevo, Bosnia and Herzegovina
Adnan	Salihbegovic	University of Sarajevo, Bosnia and Herzegovina

International Program Committee

General Chairs

Jasmin	Velagic	University of Sarajevo, Bosnia and Herzegovina
Mehmed	Kantardzic	University of Louisville, USA

Program Chairs

Ljubo	Vlacic	Griffith University, Australia
Haris	Vikalo	University of Texas at Austin, USA

Program Committee Members

David	Abbink	Delft University of Technology, Netherlands
Mohamed	Abderrahim	University Carlos III, Spain
Murad	Abu-Khalaf	Massachusetts Institute of Technology, USA
Hojjat	Adeli	Ohio State University, USA
Abdel	Aitouche	LAGIS/HEI, France
Diego	Andina	UPM, Spain
Michela	Antonelli	University of Pisa, Italy
Gojko	Babic	Ohio State University, USA
Naim	Bajcinca	Max Planck Institute, Germany
I. Safak	Bayram	North Carolina State University, USA
Ljerka	Beus-Dukic	Univerity of Westminster, UK
Arijit	Bhattacharya	Dublin City University, Ireland
Branko	Blanusa	University of Banja Luka, Bosnia and Herzegovina
Stjepan	Bogdan	University of Zagreb, Croatia
Tom	Carlson	EPFL, Switzerland
lvica	Crnkovic	Mälardalen University, Sweden
Haris	Dindo	University of Palermo, Italy
Adel	Elmaghraby	University of Louisville, USA
Mostafa	El-Said	Grand Valley State University, USA
Haris	Gacanin	Alcatel-Lucent Bell N.V., Belgium

Mislav William Mirsad Yoichi Enso Damir Mohamed Mehmed Jozef Zdenko Srdjan Lukasz Adrian Maqdi Semsudin Munir Marjan Veljko Masayuki Saeid Dragan Andreas Edin Antonio Witold Branislava Ivan Sherif Matthias Bernardete Riko Antonio Zoran Adnan Ervin Hirosato Kandepan Igor Jan Emina Alan Maarten Adrian Joel Ljiljana Katherine

Grgic Gruver Hadzikadic Hori Ikonen Isovic Kamel Kantardzic Korbicz Kovacic Kovacevic Kurgan Lauf Mahmoud Masic Merdan Mernik Milutinovic Murata Nahavandi Nesic Nüchter Omerdic Pascoal Pedrvcz Perunicic Petrovic Rashad Reuter Ribeiro Safaric Sala Salcic Salihbegovic Sejdic Seki Sithamparanathan Skrjanc Smisek Soljanin Spraque Steinbuch Stoica Suares-Cansino Trajkovic Tsui

University of Zagreb, Croatia Simon Fraser University, Canada UNC Charlotte, USA University of Tokyo, Japan University of Oulu, Finland Mälardalen University, Sweden University of Waterloo, Canada University of Louisville, USA University of Zelona Gora, Poland University of Zagreb, Croatia Baynote, USA University of Alberta, Canada University of Louisville, USA KFUPM, Saudi Arabia Faculty of Electrical Engineering in Sarajevo Vienna University of Technology, Austria University of Maribor, Slovenia University of Belgrade, Serbia Osaka University, Japan Deakin University, Australia University of Melbourne, Australia University of Würzburg, Germany Limerick University, Ireland Instituto Superior Tecnico, Portugal University of Alberta, Canada University of Sarajevo, Bosnia and Herzegovina University of Zagreb, Croatia Morehead University, USA Technical University of Clausthal, Germany University of Coimbra, Portugal University of Maribor, Slovenia Technical University Valencia, Spain University of Auckland, New Zeland University of Sarajevo, Bosnia and Herzegovina University of Pittsburgh, USA Kwansei Gakuin University, Japan RMIT University, Australia University of Ljubljana, Slovenia Delft University of Technology, Netherlands Bell Labs, Alcatel-Lucent, USA University of Alabama at Birmingham, USA Eindhoven University of Technology, Netherlands NASA Jet Propulsion Laboratory, USA Autonomous University of Hidalgo, Mexico Simon Fraser University, Canada University of Massachusetts Lowell, USA

Anthony	Tzes	University of Patras, Greece
Zekeriya	Uykan	Dogus University, Turkey
Murat	Uzam	Meliksah University, Turkey
Jasmin	Velagic	University of Sarajevo, Bosnia and Herzegovina
Haris	Vikalo	University of Texas at Austin, USA
Ramon	Vilanova	Universitat Autonoma de Barcelona, Spain
Ljubo	Vlacic	Griffith University, Australia
Nino	Vidovic	oToGo Mobile Inc., USA
Zoran	Vukic	University of Zagreb, Croatia
Chamila	Walgampaya	University of Peradeniya, Sri Lanka
Kevin	Warwick	University of Reading, UK
Brent	Wenerstrom	Amazon, USA
Qinmin	Yang	Zhejiang University, China
Yong	Zhu	Griffith University, Australia

Additional Reviewers

Abdulah	Aksamovic	University of Sarajevo, Bosnia and Herzegovina
Rahat	Ali	National University of Science, Pakistan
Filippo	Arrichiello	University of Cassino, Italy
Zikrija	Avdagic	University of Sarajevo, Bosnia and Herzegovina
Zafer	Aydogmus	Firat University, Turkey
Lejla	Banjanovic-Mehmedovic	University of Tuzla, Bosnia and Herzegovina
I. Safak	Bayram	North Carolina State University, USA
Razieh	Behjati	Simula School of Research and Innovation AS, Norway
Riccardo	Belli	Smartec SA, Switzerland
Frede	Blaabjerg	Aalborg University, Denmark
Adnan	Causevic	Malardalen University, Sweden
Marco	Colla	University of Applied Sciences and Arts, Switzerland
Jose Luis	de la Vara	Simula School of Research and Innovation AS, Norway
Francisco	de Leon	Polytechnic Institute of NYU, USA
Thomas	Edgar	University of Texas at Austin, USA
Hajrudin	Efendic	Johannes Kepler University, Austria
Ali	Emadi	McMaster University, Canada
Elisabet	Estevez	University of Jaen, Spain
Geza	Geleji	North Carolina State University, USA
William	Goble	CFSE Exida, USA
Fabrizio	Granelli	University of Trento, Italy
Karl	Greb	Texas Instruments Incorporated, USA
Ali	Hayek	University of Kassel, Germany
Przemyslaw	Ignaciuk	Lodz University of Technology, Poland
Т.	Jayakumar	Indira Gandhi Centre for Atomic Research, India
Zeljko	Juric	University of Sarajevo, Bosnia and Herzegovina
Masoud	Karimi-Ghartemani	Mississippi State University, USA
Samim	Konjicija	University of Sarajevo, Bosnia and Herzegovina
Bakir	Lacevic	University of Sarajevo, Bosnia and Herzegovina
Rafal	Leszczyna	Politechnika Gdańska, Poland

Chunhua	Liu	University of Hong Kong, China
Howard	Lovatt	CSIRO, Australia
Riccardo	Mariani	Yogitech SPA, Italy
Roberto	Micalizio	University of Torino, Italy
Ram Krishna	Mishra	India
Gašper	Mušič	University of Ljubljana, Slovenia
Altan	Onat	Anadolu University, Turkey
Dinko	Osmankovic	University of Sarajevo, Bosni and Herzegovina
Harry	Perros	North Carolina State University, USA
Uwe	Riechert	ABB, Switzerland
Juan	Rojas	Sun Yat-Sen University, China
Metin	Salamci	Gazi University, Turkey
Sven	Scholz	TelSys GmbH, Germany
Michael	Schwarz	University of Kassel, Germany
Yasser	Sedaghat	Ferdowsi University of Mashhad, Iran
SMN Arosha	Senanayake	University of Brunei, Brunei
Zeeshan	Shareef	University of Paderborn, Germany
Silvio	Simani	University of Ferrara, Italy
Senad	Smaka	University of Sarajevo, Bosni and Herzegovina
Yong	Soo Kim	Kyonggi University, Korea
Frieder	Stolzenburg	Harz University of Applied Sciences, Germany
Haris	Supic	University of Sarajevo, Bosnia and Herzegovina
Adnan	Tahirovic	University of Sarajevo, Bosnia and Herzegovina
Valeriy	Vyatkin	The University of Auckland, New Zealand
Shasha	Wu	Spring Arbor University, USA

ABSTRACTS of the

XXIV International Conference on Information, Communication and Automation Technologies

ICAT 2013

Wednesday, 30.10.2013.

Plenary Talk 1:

Magdi Sadek Mahmoud: "An Introduction to Wireless Automation	ו"	
Chairs:	Date:	30.10.2013
	Time:	09:00-10:00
	Room:	

An Introduction to Wireless Automation

Magdi S Mahmoud, Systems Engineering Department, King Fahd University of Petroleum and Minerals, Saudi Arabia

The use of wireless sensor networks (WSN) in industrial automation has recently gained increasing attention. Admittedly, WSN are technically challenging systems, requiring expertise from several different disciplines. Therefore, the information about important design criteria is often scattered. Additionally, characteristics for the industrial automation applications are often stricter than the other domains, since the failure of the communication system may lead to loss of production or even lives. The importance of gaining experience of applying wireless sensor networks to process automation environments has been addressed in the literature. The experience is important, as it can be used to show, as well as to get rid of, the problems in the current technology, and to enable larger variety of applications.

This presentation attempts to give an overview about the emerging and already employed wireless technologies in process automation.

The presentation initially provides an overview of feedback control history to trace the technological advances ending by networked control systems. Followed the are wireless technologies and motivation for wireless control systems and wireless automation.

Plenary Talk 2:

Veljko Milutinović: "SuperComputers: ControlFlow versus DataFlow"

Chairs:	Date	: 30.10.2013
	Time	e: 10:00-11:00
	Roo	n:

SuperComputers: ControlFlow versus DataFlow

Veljko Milutinović, University of Belgrade, Serbia

This presentation analyses the essence of DataFlow SuperComputing, defines its advantages and sheds light on the related programming model. DataFlow computers, compared to ControlFlow computers, offer speedups of 20 to 200 (even 2000 for some applications), power reductions of about 20, and size reductions of also about 20. However, the programming paradigm is different. The later part of the talk explains the paradigm, using Maxeler as an example (Maxeler is 20% owned by JPMorgan), and sheds light on the ongoing research in the field. Examples include GeoPhysics, FinancialRiskAnalysis, DataMining.

Session 1: Networked Based Systems and Control		
Chairs:	Date:	30.10.2013
Mirko Franceschinis, Istituto Superiore Mario Boella, Italy	Time:	11:30-13:30
Iman Samizadeh, London Metropolitan University, UK	Room:	

Adaptive Scalable Rate Control over IEEE 802.15.4 using Particle Swarm Optimization

Iman Samizadeh Iman Samizadeh, Hassan Kazemian, Ken Fisher, Karim Ouazzane, (London Metropolitan University), UK

The IEEE 802.15.4 standard, known as ZigBee, is limited to a through-rate of 250kbps providing support for small packet file transitions and it is designed to provide highly efficient connectivity with low power-usage. ZigBee is commonly used in wireless architecture and in controlling and monitoring applications. ZigBee's cost effective potential makes it highly likely that it will soon be used to transfer large amounts of data or stream video. However, ZigBee's current bandwidth is very low for video transmissions over IEEE 802.15.4 networks, therefore this will be difficult to achieve. Additionally, the ZigBee limitation could become a real problem if the user wishes to transmit a large amount of data in a very short time. Hence, in this paper a solution has been accomplished by applying Particle Swarm Optimization to Scalable Rate Control in order to increase the available bandwidth, which leads to both an improvement in the quality of picture and a reduction in the data loss when transmitting MPEG-4 video over the ZigBee wireless sensor networks.

Predictive Monitoring of Train Wagons Conditions Using Wireless Network Technologies

Mirko Franceschinis, Francesco Mauro, Claudio Pastrone, Maurizio Spirito (Istituto Superiore Mario Boella), Mario Rossi (SKF), Italy

Predictive monitoring of train wagons can allow to anticipate possible malfunctioning due to wear and avoid potential accidents. In this paper some network architectures adopting low-power wireless communication technologies are introduced. A performance comparison is provided based on ns-2 simulation results, suggesting that the combined use of WSN and WiFi in a hierarchical architecture is adequate for long trains with several coaches and a large number of sensing nodes.

Resilient Decentralized Stabilization of Interconnected Networked Systems

Magdi Mahmoud, (KFUPM), Saudi Arabia

The problem of designing dynamic output-feedback schemes for a class of linear interconnected continuous-time systems employing networks in the feedback loop is reformulated in this paper as a resilient decentralized delay-dependent feedback stabilization where the subsystems are subjected to convex-bounded parametric uncertainties and additive feedback gain perturbations. Through the construction of appropriate Lyapunov-Krasovskii functional, we characterize resilient decentralized dynamic output-feedback stabilization schemes are designed such that the family of closed-loop feedback subsystems enjoys the delay-dependent asymptotic stability. The decentralized feedback gains are determined by convex optimization over LMIs. The developed results are tested on a representative example.

Automatic FIBEX Generation from CANdb for FlexRay Network

Younghun Song, Suk Lee (Pusan National University), KyungChang Lee (Pukyong National University), Korea

As vehicles become more intelligent for safety and convenience of drivers, IVN(In-Vehicle Network) requires high speed of transmission and hardware redundancy for safety. FlexRay was developed to replace Controller Area Network (CAN) protocol in chassis networking systems to provide mote transmission capacity and shorter real-time transmission delay. However, FlexRay has many related parameters such as base cycle and slot lengths to be determined in the design stage. To assist vehicle network designers in configurationg a FlexRay network, this paper presents automatic field bus exchange format (FIBEX) generation method for migration from CAN message format such as CANdb to FlexRay FIBEX format.

Consensus over Multi-Hop Networked Systems subject to Heterogeneous Time Delays

Sabato Manfredi, (University of Naples Federico II), Italy

Today great attention it has been posed on the consensus protocols that allow every agent automatically converge to a common consensus state using only local information received from its one hop neighboring agents. We consider the problem of reaching a consensus in multi-hop networked systems where each agent can access to the state of its m-hops neighboring agents. Additionally the presence of heterogeneous time delays affecting the communication through the multi-hop path is considered. Multi-hop and link time delay are unavoidable features of realistic networked system architectures based on wireless sensor networks. In this scenario, we derive condition to reach a consensus which is an explicit function of the system parameters including the delay bound, network topology, number of hop. Also a tradeoff between the convergence speed and the time delay is discussed.

Cooperative Load Balancing Algorithm in multiple bottleneck Networks

Sabato Manfredi, (University of Naples Federico II), Italy

In this paper we validate the recent introduced cooperative load balancing algorithm ([6]) in a multiple bottleneck scenario. The controller at each router (server or switch) regulates the rates of the heterogeneous sources leveraging on the cooperation of neighboring bottlenecks. The proposed approach guarantees good performance in terms of link utilization, packet loss and fairness. Additionally it is guaranteed queue balancing without requiring rerouting or hop by hop operation differently from the existing approaches. A validation is carried out by a discrete packet experiment simulator in a realistic multibottleneck scenario to demonstrate the effectiveness of the key idea of the paper.

Tutorial 1: Control Allocation & Fault-Tolerant Control Systems

Coordinator:	Date:	30.10.2013
Edin Omerdić, University of Limerick, Ireland	Time:	11:30-13:30
	Room:	

Control Allocation & Fault-Tolerant Control Systems

Edin Omerdić, University of Limerick, Ireland

Typically, open-frame underwater vehicles have p>=4 actuators (thrusters) for the motion in the horizontal plane and the control allocation problem in this case is very complex and hard to visualise, because the normalised constrained control subset is p-dimensional unit cube. The aim of this tutorial is:

- to introduce and define general control design problem based on control allocation.

- to formulate problem for class of underwater vehicles with p=4 actuators (thrusters).

- to give a clear picture and a geometric interpretation of the problem using low-dimension example.

- to present existing methods for its solution and to introduce a hybrid approach, based on the integration of a pseudoinverse and the fixed-point iteration method, which is able to allocate the entire attainable command set and finds the solution optimal in I2 sense, i.e. which minimises the control energy cost function.

- to discuss fault tolerance and implementation issues.

- to demonstrate unique visualisation of control space.

- to present results from sea trials - real-world application of proposed algorithm.

- to demonstrate live demo of proposed algorithm through Internet remote control of UL real-time ROV simulator (running in Ireland) from Sarajevo.

Session 2: Control Applications		
Chairs:	Date:	30.10.2013
Ryoichi Suzuki, Kanazawa Institute of Technology, Japan	Time:	14:30-16:30
Andrej Zdešar, University of Ljubljana, Slovenia	Room:	

Hierarchical Control of Combined Power Control Resources Mitigating Local Power Grid Fluctuations

Anett Schuelke, Cedric Bodet, (NEC Europe Ltd.), Germany

Power grid fluctuations are an increasing concern in power grids with high penetration of intermittent generation sources. This paper describes a hierarchical control scheme defined by the dynamics of actually de-coupled power units over possibly different business domains into an integrated control scheme providing fluctuation mitigation. Specifically, a method built on the combination of charging control of a variable EV fleet and a small-scale energy storage system in prioritized control hierarchy is investigated with its impacts on both domains. The control hierarchy uses the EV charging dynamics as prime resource for the mitigation of local generation fluctuations and accommodates the residual lack with local electric storage. The underlying two-layer control algorithms is evaluated through simulations of a residential grid segment combining different grid resources in its dynamic manner. The results show significantly enhanced performance for effectively reducing the energy surplus-needs through the prime control layer (here: EV charging), but also the need for careful design of a secondary power capacities (here: storage).

Disturbance Observer based Control of the Nonlinear 2DOF Helicopter System

Almir Salihbegovic, Emir Sokic, Nedim Osmic, Mujo Hebibovic (University of Sarajevo), Bosnia and Herzegovina

This paper addresses the challenges of the disturbance observer (DOB) algorithms faced with highly nonlinear electromechanical systems which are dealing with high resolution and high speed operations. It describes the synthesis of robust and stable controllers and their applications in controlling azimuth and elevation angles of the helicopter model CE 150 supplied by Humosoft. Description of the helicopter, including its mechanical characteristics and mathematical model, is given in the paper. Tracking error, transient performances, power consumption and motor strains are used for the validation of control quality. Implementation of the control system on the experimental setup is also explained. MATLAB and Simulink are used as tools for developing the simulation model of the helicopter system. Obtained simulations are showing that developed controllers provide significantly improved results even in the presence of unknown and unpredictable inputs (disturbance and noise), unpredictable and unknown dynamics, external forces (torques) and change of the system parameters.

Estimation and control of brush pressure by using IMC based controller

Ryoichi Suzuki, Suguru Kuzuhara, Nobuaki Fujiki, Hiroyuki Kawai, Nobuaki Kobayashi (Kanazawa Institute of Technology), Japan

In this paper, we propose the control method of a writing robot for reproducing brush pressure and trajectory without force sensors. The main goal of this research is to estimate and save the brush pressure by using the internal model control. In order to evaluate the proposed controllers, the experimental device is developed. The paper shows that the proposed controller is able to reproduce the brush pressure on flat and inclined surface through experiments.

Dynamical Compensation of Bounded External Impacts for Yaw Stabilisation System

Mikhail Smirnov, Maria Smirnova (St.Petersburg State University), Russia

In this paper, one of the most important problems concerned with the automatic control for marine ships, namely the problem of suppression of external disturbances act on a ship, about which we have no information except its boundedness, is considered. The new method of suppression of bounded disturbances is proposed. The control is sought as a static state feedback. The requirement of the desirable degree of stability is also fulfilled.

Modal Synthesis of Astatic Controllers for Yaw Stabization System

Mikhail Smirnov, Maria Smirnova (St.Petersburg State University), Russia

In this paper, the problem of choosing the parameters of the controller that provide the desired dynamics of the closed-loop

system is considered. The structure of the astatic controller for the marine ship, oriented to implementation of all requirements to the quality of dynamic processes is performed. The method of the computer search for the coefficients of the stated control law is offered, computer modeling of the dynamic processes is performed.

Design of the image-based satellite attitude control algorithm

Andrej Zdešar, Gregor Klančar, Gašper Mušič, Drago Matko, Igor Skrjanc, (University of Ljubljana), Slovenia

This paper presents the design of the image-based control algorithm for interactive Earth observation. The image-based control algorithm is obtained from the modelling of the satellite pose in space. It is shown that the image-based control algorithm can be designed for two types of satellite attitude control problems: direction tracking and oriented-direction tracking. The reference target is not limited to the camera centre, but can be given anywhere in the image. The image-based control algorithm requires in-image tracking of one or two points on the Earth's surface (depending on the type of the controller). To achieve robust image-based tracking, the general framework for tracking points on the Earth's surface, which is assumed to be locally flat, is presented. The method is based on geometric local image features that are invariant to several image transformations and change in some environmental conditions. The presented methods are experimentally validated in simulation environment.

Session 3: Data Mining and Web Information Systems

Chairs:	Date:	30.10.2013
Alan Sprague, University of Alabama at Birmingham, USA	Time:	14:30-16:30
Mohamad Eid, New York University Abu Dhabi, UAE	Room:	

Using Closed Frequent Sets to Cluster Malwares

Alan Sprague, Adam Rhodes, Gary Warner, (University of Alabama at Birmingham), USA

Our static analysis of malwares starts with the receipt of 5000 malwares each day. One of our goals is to split these malwares into families. Each malware is an executable. For processing, we represent each malware by the set of printable strings that it contains. A method we have pursued to split malwares into families starts with the data mining technique of generating frequent itemsets. It is difficult to generate frequent itemsets at low support thresholds, which is what our application demands. This paper discusses our successful efforts to overcome this barrier of low support threshold.

Importance of Stable Velocity in Agile Maintenance

Samir Omanovic, Emir Buza, (University of Sarajevo), Bosnia and Herzegovina

Agile maintenance is the best choice if you want to keep step with your customer needs. It is a result of trying to respond to customer change requests with the high efficiency. High involvement of the customer in the maintenance process is good but also can have negative effects. Change in the behavior of the customer can influence the execution of the change management process or cause the change of the release plan, etc. All that can destabilize normal maintenance velocity and lead to a chaotic relationship with the customer, if not controlled or prevented. This paper describes problems in agile maintenance caused mostly by the change of the customer behavior at the beginning of the economic crisis. It also presents results of the analysis of these problems and recommendations how to identify them and how to prevent them.

A Parallel Algorithm to Induce Decision Trees for Large Datasets

Joel Suárez-Cansino, Anilú Franco Árcega, Linda Gladiola Flores Flores, (Autonomous University of the State of Hidalgo), Mexico

This paper introduces a new parallel algorithm called ParDTLT and discusses some of its advantages with respect to a set of well known sequential and parallel algorithms. The parallel process occurs in every node in the decision tree, which is constructed during the supervised training phase. The basis of the distribution of a parallel task is on the attributes of the training objects and the growing of the tree is based on two criteria, who are defined by the maximum number of training objects that every node can support and an entropic gain ratio criterion. Different experiments have been made to compare the behavior of the parallel algorithm ParDTLT with the behavior of the sequential algorithms C4.5, VFDT, YaDT and DTLT and with the parallel algorithm called Synchronous. The experimental results show that ParDTLT keeps the quality of classification and it reduces the execution time.

Selecting Samples for Labeling in Unbalanced Streaming Data Environments

Mehmed Kantardzic, Han Huo, Egjyot Singh Sethi, (University of Louisville), USA

In this paper we proposed an alternative approach to random selection for labeling extremely unbalanced stream data sets where one class is only 1-10% of the entire data set. Labeling, especially when human resources are needed, is often time consuming and expensive. In an extremely unbalanced data set, usually a lot of data points need to be labeled to get enough minority class samples. The goal of this research was to reduce the total number of samples needed in the labeling process of training new classification models for updating streaming data ensemble classifier. Our proposed approach is to find minority class clusters using the grid density algorithm, and sample minority class instances inside those regions. The result from the synthetic data set showed that efficiency of our proposed approaches varies with different grid sizes.

Results on real world data sets confirmed that observation, and showed that when the data set has high dimensionality, dimensionality reduction was useful for reducing the number of grids in the data space increasing sampling efficiency. Our best results showed 19.4% improvement for an eight-dimension data set without dimensionality reduction, and 27.4% improvement for a thirty-six-dimension data set with dimensionality reduction.

ReadGoGol: Towards Real-Time Notification on Readers' State of Attention

Mohamad Eid, Andres Fernandez, (New York University Abu Dhabi), United Arab Emirates

In this paper we present ReadGoGo!, a system that reminds readers when they are not focusing on the texts at hand. Towards developing such real-time system, we used a commercial ECG device, Mindwave by NeuroSky, to measure the attention level of readers, and combine the measurement with visual-based information. Existing related works involve only clinical experiments using EEG sensors to understand brain activities from specific set-ups. Little has been done to distinguish mental states between focusing and losing focus on word texts. In addition, there exist few market solutions, and most of them are not automated. The proposed system can automatically remind the reader when she/he is losing focus and eventually help the reader to quickly regain his/her focus on the text at hand. The implementation and usability analysis has demonstrated the ability of the proposed system to help readers regain attention during reading sessions.

New Web Information Retrieval paradigm based on a Multi-Space Interpretation Index and Projection operations

Mehdi Adda, Amel Hannech, Hamid Mcheick, (University of Quebec At Chicoutimi), Canada

Classical search engines rely mainly on keyword matches. More advanced search engines and information retrieval systems use personalization techniques to enhance the relevancy of the results. Those approaches assume that the current search of a user is directly related to his/her profiles and/or past navigation/search experience. However, this assumption does not hold in all cases. In this paper, we are proposing an information retrieval approach that is not making any assumption about the user. It offers a straightforward way to choose and navigate the available interpretations. Our approach relies on a navigation model that is based on a new paradigm called multi-space interpretation index and projection operations. We have derived a mathematical model of a Web information retrieval system based on the new paradigm. This concept naturally distinguishes between the different interpretation layers (each layer is a separate space). Therefore, it offers to users the flexibility to navigate the interpretation spaces in such a way that suites better their information needs.

Session 4:

Electric Machines, Drives and Inverters

Chairs:	Date:	30.10.2013
Carlos Meza, ICTP, Italy	Time:	17:00-19:00
Branko Blanuša, University of Banja Luka, Bosnia and Herzegovina	Room:	

A Novel Approach to Analytically Modeling Switched Reluctance Machine

Senad Smaka, Semsudin Masic, (University of Sarajevo), Bosnia and Herzegovina

This paper presents a novel analytical model for computation of the switched reluctance machine's (SRM) nonlinear magnetization characteristic and torque lookup table. The flux-tube and the gage-curve methods are used to develop the novel analytical model. Presented model is used for computation of the magnetization characteristic and torque lookup table of three and four phase SRMs. The simulation results obtained using proposed analytical model are compared to finite-element method (FEM) results. Experimental verification of the analytical model is presented for an 8/6 SRM.

The Effects of Magnetic Circuit Geometry on Torque Generation of 8/14 Switched Reluctance Machine

Senad Smaka, Mirsad Cosovic, Semsudin Masic, (University of Sarajevo), Bosnia and Herzegovina

The effects of magnetic circuit geometry on torque generation of switched reluctance motor with higher number of rotor poles are investigated in this paper. Specifically, the torque generation of novel switched reluctance machine with 8 stator and 14 rotor poles (SRM 8/14) is explored. A few suggested values of design ratios are derived for this novel SRM. The machine characteristics are computed using two-dimensional finite element method (2-D FEM).

Optimal Flux Control of Elevator Drive

Branko Blanusa, Bojan Knezevic, (University of Banja Luka), Bosnia and Herzegovina

Modern gearless elevator drives have ability to control speed and other parameters of motion like a jerk. Also techniques for indirect vector-control of induction motor provides possibility for efficiency optimization. This paper describes control algorithm based on optimal control. It combines two crucial elements for elevator drive, smooth motion which increase comfort of elevator passengers and minimum energy consumption for one elevator drive. Validity of suggested algorithm is tested through computer simulations.

Control and estimation scheme for PV central inverters

Carlos Meza, (ICTP), Italy, Romeo Ortega, (SUPELEC), France

Photovoltaic (PV) systems that inject energy directly to the grid have attracted much attention over the last years due to their lower cost per watt with respect to other photovoltaic applications and the incentives that governments offer for such systems. In a grid connected PV system a power inverter is required in order to optimize the energy transfer from the photovoltaic panels to the power grid. Considering the non-linear time varying nature of grid-connected photovoltaic systems allows to obtain well-define mathematical description of the problem that can be very useful for the design of control schemes. Nevertheless, control structures that explicitly take into account the non linear electrical model of the PV panels usually depend on parameters of the model that are unknown and/or difficult to measure. Consequently, such controllers should normally be used with estimator schemes. In the present paper a control and estimator scheme for a full-bridge central PV inverter is presented. As shown with a simulation study, the required control objectives have been achieved and the unknown temperature dependent estimated values have been obtained. The controller and estimation scheme is valid for a wide range of PV technologies.

On-line parameter tuning of discontinous fuzzy friction compensator in linear drive

Marcin Jastrzębski, (Lodz University of Technology), Poland

This paper presents an adaptive algorithm to control the position of the linear motor. The algorithm uses the discontinuous fuzzy model of friction with extended functions of consequence in rules. Learning data for tuning the model were collected with using parametric observer for identifying friction. For tuning off-line model, bacterial evolutionary algorithm was used. Adaptive part of the control algorithm was used for the calculation of the friction correction factor. The corrected value of the modeled friction force was used for on-line tuning of fuzzy friction model. The effectiveness of the proposed solution was verified in the real mechatronic system.

An Algorithm for Boost Converter Efficiency Optimization

Zeljko Ivanovic, Branko Blanusa, Mladen Knezic, (University of Banja Luka), Bosnia and Herzegovina

In this paper, an algorithm based on the technique of variable switching frequency is applied, so that working point of boost converter is at the boundary between continuous and discontinuous working mode aiming at achieving maximum efficiency of the converter. Controller is based on variable switching frequency and measuring the voltage on the main converter switch. The proposed algorithm is verified by the simulations and experimental measurements on a converter prototype.

Workshop 1: Rohde Schwarz Industrial Presentations Regional Initiative: TV WEB		
Coordinator:	Date:	30.10.2013
Mesud Hadzialic, University of Sarajevo, Bosnia and Herzegovina	Time:	17:00-19:00
	Room:	

Presentation VALUE series of instruments of producers H and R. (A brief overview of the instruments and presentation of companies.)

The plans of building a broadband Internet access to European households are behind the schedule due to a lack of investment in broadband infrastructure. Some of the less advantaged areas in Europe are even without any Internet access. Therefore alternative concepts of delivering Internet experience and content are being developed. An example is an international project TV WEB (TV WEB, 2013) funded by the European union, whose idea is to use the free digital terrestrial television (DTT) broadcasting frequency spectrum capacities for transmitting selected Internet content (such as news, e-services etc.), thus ensuring a sort of Internet experience via TV devices. The target groups are certain less advantaged segments of the population, or those in rural areas without broadband access. The goal of the workshop is to present research results, system solution and TV web application developed in order to ensure a kind of "push content" experience, which should allow for interactive experience without an existing return channel. This means that users can receive information but can't input or send data. The project pilot setups will be deployed and tested in six European countries.

Next generation of digital oscilloscopes - working principles and applications (In this presentation basic principles of digital oscilloscopes are explained. Working principle and applications od DIGITAL TRIGGER SYSTEM is emphasized. Importance of 1000 000 acquisition/ second is particularly explained as well as importance for reliability of failure detection. Usage of ASIC for hardware accelerated FFT and other mathematical functions are detailed described)

Round table: Internet of Things

Moderator:	Date:	30.10.2013
Kemal A. Delic, Hewlet-Packard, France	Time:	19:00-20:00
	Room:	

Round table: Internet of Things

Participants:

Kemal A. Delic (HP, ACM Ubiquity - Associate Editor), Ed Parsons (Google), Paolo Faraboschi (HP), Dejan Milojcic (IEEE-Computer society, President Elect 2013), Maja Vukovic (IBM), Milan Milenkovic (Intel), Mladen Vouk (UNC)

Agenda:

- 1. How would you define Internet of Things from your perspective?
- 2. What do you see as the tipping point, enableing this 3rd Internet revolution?
- Sensors, CPUs, OS, networks, applications...
- 3. Some obstacles would be inevitable Which? And how do you see them suprassed?
- 4. Envisioning tomorrows's IoT world... How it will look like? Angelic Demonic face of it?

Thursday, 31.10.2013.

Plenary Talk 3:

Eduardo Camacho: "Control of Solar Energy Systems"

Chairs:	Date:	31.10.2013
	Time:	09:00-10:00
	Room:	Banjaluka

Control of Solar Energy Systems

Eduardo Camacho, (University of Seville), Spain

There is a renewed interest in the use of renewable energies nowadays driven by the need of reducing the high environmental impact produced by the use of fossil energy systems. There are two main drawbacks of energy systems: a) the resulting energy costs are not yet competitive and b) solar energy is not always available when needed. Considerable research efforts are being devoted to techniques which may help to overcome these drawbacks; control is one of those techniques. A thermal solar power plant basically consists of a system where the solar energy is collected, then concentrated and finally transferred to a fluid.

The thermal energy of the hot fluid is then used for different purposes such as generating electricity, the desalination of sea water etc. While in other power generating processes, the main source of energy (the fuel) can be manipulated as it is used as the main control variable, in solar energy systems, the main source of power which is solar radiation cannot be anipulated and furthermore it changes in a seasonal and on a daily base acting as a disturbance when considering it from a control point of view. Solar plants have all the characteristics needed for using advanced control strategies able to cope with changing dynamics, (nonlinearities and uncertainties). The talk describes the main solar thermal plants, the control problems involved and how control systems can help in increasing their efficiency. Some illustrative examples are given.

Session 5: Adaptive, robust and optimal control		
Chairs:	Date:	31.10.2013
Hamid Reza Karimi	Time:	10:30-12:30
Zeeshan Shareef	Room:	

Mixed Sensitivity Based Dynamical Anti-Windup Compensator Design using LMI: An Application to Constrained Hot Air Blower System

Zeeshan Shareef, (University of Paderborn), Germany, Abrar Ahmed, Naeem Iqbal, (Pakistan Institute of Engineering and Applied Sciences), Pakistan

There are always some type of constraints present in the all physical systems and these constraints or saturations produce the windup effect. This paper describes the design and implementation of a new dynamical Anti-Windup Compensator (AWC) scheme to remove the windup effect. In the new antiwindup scheme the state space matrices of the mixed sensitivity controller's parameters are used in the coprime factorization of the AWC to provide the robustness and optimize it using the Linear Matrix Inequalities (LMI). The mixed sensitivity controller designed in this technique is based on the direct method, that is easy to design and do not involve complex calculations and algorithms. This new mixed sensitivity based AW scheme can work for other types of linear controllers other than mixed sensitivity controllers. This new scheme is applied to the benchmark plant with linear controllers and the results and compared with the already existing techniques. To prove the validation of this new proposed AW scheme, it is applied to a hot air blower system and practically results are discussed and compared with simulation results. This paper aims to support the industrial application of the new AWC scheme ensuring stability and performance.

Exponential Stability Analysis of Markovian Jump Nonlinear Systems with Mixed Time Delays and Partially Known Transition Probabilities

Hamid Reza Karimi, (University of Agder), Norway, Bo Wang (University Electronic Science and Technology of China), China, Peng Shi, (The University of Adelaide), Australia

In this paper, the problem of exponential stability is studied for a class of Markovian jump neutral nonlinear systems with mixed neutral and discrete time delays. By Lyapunov-Krasovskii function approach, a novel mean-square exponential stability criterion is derived for the situation that the system's transition rates are partially or completely accessible. Finally, some numerical examples are provided to illustrate the effectiveness of the proposed methods.

A Passivity Approach to Control of Markovian Jump Systems with Mixed Time-Varying Delays

Hamid Reza Karimi, Bahador Makki, B. Makki, (University of Agder), Norway

This paper investigated the problem of control design for a class of stochastic systems with Markovian jump parameters and time-varying delays. For the model under consideration, a passivity-based approach is introduced for designing modedependent output feedback controllers with mixed discrete and distributed delays. A Lypunov-Krasovskii function (LKF) is defined to establish new required sufficient conditions for ensuring exponentially mean-square stability and the passivity criteria, simultaneously. Moreover, controller gains are calculated based on a convex optimization method by solving a Linear Matrix Inequality (LMI). Finally, simulation results are provided to illustrate the effectiveness of our approach.

State Dependent Riccati Equation Based Model Reference Adaptive Control Design for Nonlinear Systems

Metin SALAMCI, Naser Babaei, (Gazi University), Turkey

A new model reference adaptive control (MRAC) algorithm is presented for a class of nonlinear systems. The proposed MRAC method uses a nonlinear reference model whose controller is designed by using the so-called State Dependent Riccati Equation (SDRE) techniques. The controller designed for the nonlinear reference model is then adapted for the – presumably unknown/uncertain- nonlinear plant dynamics, again by using the SDRE methodology. The proposed methodology is exemplified by using the simulation model of an inverted pendulum, showing the effectiveness of SDRE-based MRAC for nonlinear systems.

Emulation Design based Linear Quadratic Regulation

Rahat Ali, Mohammad Malik, Muhammad Salman (National University of Sciences and Technology), Pakistan

With the encouraging rapid advancement in digital controller design, there is a need to explore further the optimal and robust digital controller implementation schemes. The ease in implementation of the discrete time controller urge the designers to adopt the emulation design technique, in which discrete-time systems are treated in a continuous-time framework. In emulation design, a discrete-time controller is obtained after the discretization of continuous-time controller at a high sampling rate. Keeping in view the valuable advantages of emulation design, a linear discrete time closed loop structure is proposed with emulation design based linear quadratic regulator (LQR). The suggested scheme provides optimal tracking of a reference signal even in the presence of external disturbances. Prior knowledge about the external disturbance is utilized by the control scheme to effectively minimize its effect on the system. Through computer simulations, a comparison is also drawn between the proposed emulation based control scheme and the corresponding continuous-time control scheme. Results shows that sampling time and weighing parameters of the cost function play important roles in defining the system performance.

Linear Quadratic Tracking for Noisy Signal with State Space Recursive Least Squares Noise Rejection

Rahat Ali, Mohammad Malik, Muhammad Salman (National University of Sciences and Technology), Pakistan

In many real life problems, related to closed loop control systems the reference signal is corrupted by additive noise. The noisy reference signal leads to inferior tracking by the plant. However tracking performance can further improved if noise is removed from the reference signal prior applying to the control system. In this paper, we present a linear quadratic regulator (LQR) based control scheme that incorporates state space recursive least squares (SSRLS) method for cleaning the noisy reference signal. The proposed closed loop structure provides an optimal tracking of a reference signal while minimizing the effect of external disturbance acting on the plant. The prior knowledge about the external disturbance is utilized by the control scheme. Functioning of the proposed algorithm is demonstrated with the help of computer simulations with a practical application of third order system of grid tie converters. The result shows significant improvement in tracking performance as compared to the tracking of a noisy reference signal applied directly to the control system.

Workshop 2:

Safety Aspects for Automation and Process Industries		
Coordinator(s):	Date:	31.10.2013
Josef Börcsök, University of Kassel, Germany	Time:	10:30-12:30
Michael Schwarz, University of Kassel, Germany	Room:	

Tool to Derive and Calculate Safety Parameter

Josef Börcsök, Ossmane Krini, (University of Kassel), Germany

The objective is the new development of a Software-Tool, known as FRCas, to calculate the failure rates from various components. This Software-Tool should offer the User the opportunity to determine the failure rate for various components on the basis of various Standards of Siemens SN 29500, Military Handbok MIL-HNDB, SINTEF, and CENELEC. The user should be able to obtain results with this Tool without previous knowledge of the details of standard. A further objective is the integration of Program Package "OrCAD" into the developed Software-Tool, therefore to determine the failure rates of individual components that are in the OrCAD developed electronic circuits.

A possible Approach for Determining Safety Parameters for Safety Integrated Circuits

Peter Holub, Josef Börcsök (University of Kassel), Germany

The approach for calculating the failure rate of a safety integrated circuit is used if the number of available test patterns is not sufficient. The safety integrated circuit can be structured in function blocks, that can be functionally compared to semiconductors with discrete structure. Failure models already known and applied for discrete semiconductors can be used to determine the failure rate of the individual function blocks. These models with their known failure rates serve as a reference for the safety integrated circuit function blocks. An advantage of this approach is that the internal safety integrated circuit structure can be taken into consideration when calculating the failure probability. The paper is based on the principles of the generic standard IEC 61508 Edition 2, 2010-04. Because new technologies lack field experience and a basis for evaluating certain risks, a conservative approach to determining failure rates has been emphasized as set forth in SN 29500.

Safety requirements and safety functions for decentralized controlled autonomous systems

Andreas Trenkle, Zäzilia Seibold, Thomas Stoll (Karlsruche Institute of Technology, KIT), Germany

Flexibility and safety are important criteria for automated material handling systems. Autonomous and decentralized controlled systems are flexible but they also pose new challenges in safety. We describe KARIS, a decentralized controlled, autonomous intralogistic system and indicate the differences to conventional autonomous guided vehicles. Based on the results of a risk assessment, we point out the particular challenges to safety technology and describe the developed safety functions. They are evaluated and compared to required performance levels determined by the risk assessment.

Optimization of Diagnostics with Respect to the Diagnostic Coverage and the Cost Function

Hans-Dieter Wacker, Peter Holub, Josef Börcsök (University of Kassel), Germany

In this paper the authors study a Safety Instrumented System (SIS) subjected to periodically performed diagnostic measures or tests. They focus their interest onto partial tests similar to partial stroke tests, which are well known from testing valves. They then introduce diagnostic parameters in order to quantify manual, automatic and semi-automatic testing mathematically, and they distinguish between two different diagnostic modes: The semi-automatic component-based mode and the semi-automatic-time-based mode. In Chapter V, they investigate the semi-automatic mode by means of two functions depending on their diagnostic parameters: The diagnostic coverage factor and the cost function. They then pose two optimization problems in form of two linear programs. The first one minimizes the cost function under constraints on the diagnostic coverage, and the second one maximizes the diagnostic coverage under constraints on the cost function. They paper closes with the examples of a 1001-system and a 2002-system.

A Survey on OPC and OPC-UA

Michael Schwarz, Josef Börcsök, (University of Kassel), Germany

In 1996, a new standard was announced that should serve as a software interface to exchange process data and to solve the problem to exchange process data using different industrial protocols and communication systems. A successful story started since then with few additional standards like the Alarm and Event standard using the OPC approach and some revisions and new editions. Ten years later a new approach was created that unified all existing standards and was also concerned with e.g. interoperability, security and web-based systems. This paper details the different OPC standards, tries to answer the question why this standard is important for industries and academia and where current research and development utilising those standards.

Session 6:

Model	based,	Predictive	and	Distributed	Control	

Chairs:	Date:	31.10.2013
Naim Bajcinca, Max Planck Institute, Germany	Time:	13:30-15:30
Alessandro Zanarini, ABB Corporate Research, Switzerland	Room:	

Model Based Predictive Peak Observer Method in Parameter Tuning of PI Controllers

Erdinc SAHIN, (KTU), Müjde Güzelkaya, Ibrahim Eksin, (İstanbul Technical University), Turkey

The peak observer method is firstly proposed and used for PID type fuzzy logic controllers. In this study, the peak observer method is adapted and then implemented to the classical PI control structure. The basic principle of the method is to change the controller parameters of the system using the peak values of the system response in order to improve system performance. Firstly, the peak observer method is reconsidered on a simple internal model control based classical PI controller. Later, the peak observer method is further developed and a new structure called model based peak observer is proposed and the parameters of PI controller are further tuned for a much better performance. The performances of the proposed methods are tested and compared on different systems based on simulations

Exploiting Parallelization in Explicit Model Predictive Control

Alessandro Zanarini, Mahmoud Jafargholi, Helfried Peyrl, (ABB Corporate Research), Switzerland

Traditionally Model Predictive Control (MPC) has been mainly restricted to processes with rather slow dynamics and with sampling times ranging from a few minutes to hours, such as the ones encountered in the areas of (petro)chemicals, minerals and metals. However, recent algorithmic advances (such as the explicit approach for MPC) allowed the application of MPC to problems arising in the automotive or power electronics industry where the time scales are in the milli- or even the microsecond area. In this study we aim to push the limit of explicit MPC even further by exploiting the computational power offered by parallel CPU architectures. We present the parallelisation of three different algorithms and we report experimental results showing how for certain problems, the parallelisation offers performances that top state-of-

Distributed Feedforward Control of Vehicle Dynamics based on Event-Triggered Optimization

Shaban Gumma, (Technical University of Berlin), Germany

A fully distributed event-triggered optimization scheme for optimal tire friction force allocation representing the core part of a feedforward control approach is proposed in this work. A standard projected subgradient algorithm involving consensus has been used for solving the resulting optimization problem. The triggering condition has been utilized to reduce the communication between the concurrent computing nodes primarily for facilitating real-time efficiency.

Output Disturbance Rejection Using Parallel Model Predictive Control

Carlos Andrade-Cabrera, Jan Maciejowski, (Cambridge University), UK

The solution time of the online optimization problems inherent to Model Predictive Control (MPC) can become a critical limitation when working in embedded systems. One proposed approach to reduce the solution time is to split the optimization problem into a number of reduced order problems, solve such reduced order problems in parallel and selecting the solution which minimises a global cost function. This approach is known as Parallel MPC. The potential capabilities of disturbance rejection are introduced using a simulation example. The algorithm is implemented in a linearised model of a Boeing 747-200 under nominal flight conditions and with an induced wind disturbance. Under significant output disturbances Parallel MPC provides a significant improvement in performance when compared to Multiplexed MPC (MMPC) and Linear Quadratic Synchronous MPC (SMPC).

A Fault-Tolerant Distributed Feedback Control Concept for Chassis Control Systems

Naim Bajcinca, (Max Planck Institute), Germany

We propose a fault-tolerant feedback control concept employing a reconfiguration of distributed optimization topologies corresponding to a precompiled bank of faulty scenarios in the feedforward path. This approach is underpinned byTypically, open-frame underwater vehicles have p>=4 actuators (thrusters) for the motion in the horizontal plane and the control allocation problem in this case is very complex and hard to visualise, because the normalised constrained control subset is p-dimensional unit cube. The aim of this tutorial is:

to introduce and define general control design problem based on control allocation.

to formulate problem for class of underwater vehicles with p=4 actuators (thrusters).

to give a clear picture and a geometric interpretation of the problem using low-dimension example.

to present existing methods for its solution and to introduce a hybrid approach, based on the integration of a pseudoinverse and the fixed-point iteration method, which is able to allocate the entire attainable command set and finds the solution optimal in I2 sense, i.e. which minimises the control energy cost function.

to discuss fault tolerance and implementation issues.

to demonstrate unique visualisation of control space.

to present results from sea trials - real-world application of proposed algorithm.

to demonstrate live demo of proposed algorithm through Internet remote control of UL real-time ROV simulator (running in Ireland) from Sarajevo. distributing the computational task over a set of concurrent processors associated to a redundant single-wheel actuation powertrain testbed. In particular, the proposed control scheme is suitable for deploying to underactuated powertrains.

Mathematical Modeling of Vehicle Frontal Crash by a Double Spring-Mass-Damper Model

Bernard Munyazikwiye, Hamid Reza Karimi, Kjell Robbersmyr, (University of Agder), Norway

This paper presents development of a mathematical model to represent the real vehicle frontal crash scenario. The vehicle is modeled by a double spring-mass-damper system. The front mass m1 represents the chassi of the vehicle and rear mass m2 represents the passenger compartment. The physical parameters of the model (Stiffness and dampers) are estimated using Nonlinear least square method (Levenberg-Marquart algorithm) by curve fitting the response of a double spring-mass-damper system to the experimental displacement data from the real vehicle crash. The model is validated by comparing the results from the model with the experimental results from real crash tests available.

Tutorial 2:

Enhancing Customer Experience over Broadband Access Networks

Coodinator:	Date:	31.10.2013
Haris Gacanin, Alcatel-Lucent, Belgium	Time:	13:30-15:30
	Room:	

Enhancing Customer Experience over Broadband Access Networks

Haris Gacanin, Alcatel-Lucent, Belgium

To succeed in this rapidly changing market, operators need the ability to deliver high-value services that differentiate and enhance the customer experience over there, in most cases different, access technologies. Those technologies are not designed to interoperate with each other and most of them can cope with only one type of access medium. At this point we are looking at fiber or digital subscriber line (DSL), powerline communication (PLC), Wi-Fi, Mobile, Femto home access technologies. Some efforts are done to enable the unified next generation access technology through the International Telecommunication Union (ITU) and IEEE standardization groups. This workshop provides an overview of problematics, research directions and potential solutions in all-IP broadband home access networks. The focus is on the evolution of test requirements and methods as the access network evolves towards all-IP. Indeed, as a network converges to an all-IP network offering broadband services, operators are confronted with the question of how to evolve their testing infrastructure. This talk begins by providing an overview of legacy test methodologies and access networks, as well as their objectives. We then discuss the user and service requirements that drive the evolution of the broadband access networks towards all-IP. Finally, the talk presents home access broadband testing technique for all-IP networks and some examples with focus on OPEX/CAPEX reduction.

Session 7:

Intelligent Systems and Applications

Chairs:	Date:	31.10.2013
Haris Dindo, University of Palermo, Italy	Time:	16:00-18:00
Joel Suárez-Cansino, Autonomous University of the State of Hidalgo, Mexico	Room:	

A novel Evolution Strategy for Constrained Optimization in Engineering Design

Ali Osman Kusakci, Mehmet Can (International University of Sarajevo), Bosnia and Herzegovina

Nature Inspired Algorithms (NIAs) are extensively employed to solve constrained optimization problems (COPs) in engineering design domain. Since the global optimum for almost all benchmark problems are already identified, improving the objective function value is not possible. However, an improvement in terms of number of objective function evaluations (FES) and reliability is still likely. This paper proposes an Evolution Strategy (ES) with a Covariance Matrix Adaptation (CMA)-like mutation operator and a ranking based constraint-handling method. The results indicate that the algorithm is able to find the global optimum in less FES and with high reliability when compared with the benchmarked methods.

Intrusion Detection using Neural Network Committee Machine

Alma Husagić-Selman (International University of Sarajevo), Rasit Koker (Sakarya University), Turkey, Suvad Selman (International University of Sarajevo), Bosnia and Herzegovina

Intrusion detection plays an important role in todays computer and communication technology. As such it is very important to design time efficient Intrusion Detection System (IDS) low in both, False Positive Rate (FPR) and False Negative Rate (FNR), but high in attack detection precision. To achieve that, this paper proposes Neural Network Committee Machine (NNCM) IDS which consists of Input Reduction System based on Principal Component Analysis (PCA) Neural Network and Intrusion Detection System, which is represented by three levels committee machine, each based on Back-Propagation Neural Network. To reduce the FNR, the system uses offline System Update, used to retrain the networks when new attacks are introduced. The system shows the overall attack detection success of 99.8%.

An Intelligent System for Inspection and Selection of Parts in a Manufacturing Cell

Joel Suárez-Cansino, Juan Carlos González Islas, Daniel de Jesús Cano Tejeda (Technological University of Tulancingo), VirgilioLopez-Morales, (Autonomous University of the State of Hidalgo), Mexico

This paper presents the design and implementation of an artificial vision system into a manufacturing cell. The vision system recognizes and selects in an intelligent manner the manufactured parts through a feedforward artificial neural network and the decisions are completely based on the part's color and its geometry. A digital camera is used as an image acquisition device. This image is then processed by the artificial neural network, which is able of identifying the part's color and a PLC is in charge of controlling an electropneumatic system, which stores the part into a corresponding repository. An interface made with power electronic devices and a DAQ system implements the communication between the PLC and the computer. The experimental results show that the physical properties of the parts, as represented by their color and geometry, and the real behavior of the manufacturing cell have a reliable matching.

Fuzzy Pitch Angle Control of Wind Hybrid Turbine To Power Quality Improvement

Nastaran Vasheg, Saeid Ghaderi, Reza Ghandehari, (SHAHI RAJAEE TEACHER TRAINING), Iran

Wind energy is not constant and because of nonlinear effect of wind speed in output power of windmill, the generated power of wind turbine generators (WTGs) fluctuates. In order to reduce fluctuation, different methods are available. This paper presents a control strategy based on fuzzy modeling in different wind speeds to control frequency and together with a hybrid system that controls voltage, can improve power quality of a wind-hybrid power generation system. The simulation results show the effectiveness of the proposed method.

Recognizing Actions with the Associative Self-Organizing Map

Haris Dindo, Miriam Buonamente, (University of Palermo), Italy, Magnus Johnsson, (Lund University), Sweden

When artificial agents interact and cooperate with other agents, either human or artificial, they need to recognize others' actions and infer their hidden intentions from the sole observation of their surface level movements. Indeed, action and intention understanding in humans is believed to facilitate a number of social interactions and is supported by a complex

neural substrate (i.e. the mirror neuron system). Implementation of such mechanisms in artificial agents would pave the route to the development of a vast range of advanced cognitive abilities, such as social interaction, adaptation, and learning by imitation, just to name a few. We present a first step towards a fully-fledged intention recognition system by enabling an artificial agent to internally represent action patterns, and to subsequently use such representations to recognize - and possibly to predict and anticipate - behaviors performed by others. We investigate a biologically-inspired approach by adopting the formalism of Associative Self-Organizing Maps (A-SOMs), an extension of the well-known Self-Organizing Maps. The A-SOM learns to associate its activities with different inputs over time, where inputs are high-dimensional and noisy observations of others' actions. The A-SOM maps actions to sequences of activations in a dimensionally reduced topological space, where each centre of activation provides a prototypical and iconic representation of the action fragment. We present preliminary experiments of action recognition task on a publicly available database of thirteen commonly encountered actions with promising results.

Current and Future Trends in AI

Jeff Riley, Kemal Delic, (Hewlett Packard), France

During the past 70+ years of research and development in the domain of Artificial Intelligence (AI) we observe three principal, historical waves: embryonic, embedded and embodied AI. As the first two waves have demonstrated huge potential to seed new technologies and provide tangible business results, we describe likely developments of embodied AI in the next 25-35 years. We postulate that the famous Turing Test was a noble goal for AI scientists, making key, historical inroads – while we believe that Biological Systems Intelligence and the Insect/Swarm Intelligence analogy/mimicry, though largely disregarded, represents the key to further developments. We describe briefly the key lines of past and ongoing research, and outline likely future developments in this remarkable field.

Session 8: Mathematical Methods in Engineering		
Chairs:	Date:	31.10.2013
Jian Wan, National University of Ireland, Ireland	Time:	16:00-18:00
Željko Jurić, University of Sarajevo, Bosnia and Herzegovina	Room:	

Matrix-based Improvement of Nodal Analysis for Circuits with Singularities

Željko Jurić, (University of Sarajevo), Harun Šiljak, (Burch International University), Bosnia and Herzegovina

This paper presents an alternative to existing techniques based on Nodal Analysis designed specifically to suit implementation in matrix-oriented programming languages, keeping the simplicity of original Nodal Analysis and bringing improvements to make virtually all circuit topologies solvable through it, dealing with potential singularities, hence the name Singular Nodal Analysis (SNA). Two variants of this novel algorithm are described. Their validity is proven and their applicability is shown through two practical examples.

Solving Laplace Differential Equation Using Markov Chains in Monte Carlo Method

Mario Kokorus, Kemo Sokolija (University of Sarajevo), Bosnia and Herzegovina

This paper outlines solving of Laplace differential equation using Markov chains in Monte Carlo method. Two-dimensional model with Dirichlet and Neumann conditions was considered. The problem of electrostatic field was particularly observed for a case of homogeneous Neumann condition at one of the domain boundaries.

A Dynamic Sampling Methodology for Plasma Etch Processes using Gaussian Process Regression

Jian Wan, (National University of Ireland), Sean Mcloone, (NUIM), Ireland

Plasma etch is a key process in modern semiconductor manufacturing facilities as it offers process simplification and yet greater dimensional tolerances compared to wet chemical etch technology. The main challenge of operating plasma etchers is to maintain a consistent etch rate spatially and temporally for a given wafer and for successive wafers processed in the same etch tool. Etch rate measurements require expensive metrology steps and therefore in general only limited sampling is performed. Furthermore, the results of measurements are not accessible in real-time, limiting the options for run-to-run control. This paper investigates a Virtual Metrology (VM) enabled Dynamic Sampling (DS) methodology as an alternative paradigm for balancing the need to reduce costly metrology with the need to measure more frequently and in a timely fashion to enable waferto-wafer control. Using a Gaussian Process Regression (GPR) VM model for etch rate estimation of a plasma etch process, the proposed dynamic sampling methodology is demonstrated and evaluated for a number of different predictive dynamic sampling rules.

On Pole Placement and Invariant Subspaces

Naim Bajcinca, (Max Planck Institute), Germany

The classical eigenvalue assignment problem is revisited in this note. We derive an analytic expression for pole placement which represents a slight generalization of the celebrated Bass-Gura and Ackermann formulae, and also is closely related to the modal procedure of Simon and Mitter.

Calculation of Traversing Time Distributions in Semi-Markov Chains with Application on Petri Nets

Faruk Hadziomerovic, (SSST), Bosnia and Herzegovina

This paper shows how to obtain probability distribution of traversing time between initial and final states in Markov Chains underlying Petri Nets. The exact closed form solution is obtained for the negative exponential transition firing times with or without one deterministic firing time, and the approximate solution for the mix of negative exponential with more than one deterministic transitions. Then the known distribution enables to find the percentile estimates. We apply our method to obtain the percentile of a packet delay in the network. This approach can be applied to any performance tool which reduces to Markov chains, such as Finite State Machines as well as Queuing Networks.

Friday, 01.11.2013.

Plenary Talk 4: Bruno Siciliano: "Grasping and Control of Multi-fingered Hands"		
Chairs:	Date:	01.11.2013.
	Time:	09:00-10:00
	Room:	Banjaluka

Grasping and Control of Multi-fingered Hands

Bruno Siciliano, (University of Naples Federico II), Italy

The talk reports some recent results achieved within the framework of the European project DEXMART. An important issue in controlling a multi-fingered robotic hand grasping an object is the synthesis of the optimal contact points and the evaluation of the minimal contact forces able to guarantee the stability of the grasp and its feasibility. Both these problems can be solved online if suitable sensing information is available. In detail, using images taken by a camera mounted in an eye-in-hand configuration, a surface reconstruction algorithm and a grasp planner evolving in a synchronized parallel way have been designed for fast visual grasp of objects of unknown geometry. On the other hand, using finger tactile information and contact force measurements, an efficient algorithm was developed to compute the optimal contact forces, assuming that, during the execution of a manipulation task, both the position of the contact points on the object and the wrench to be balanced by the contact forces may change with time. Another goal pursued in DEXMART was the development of a human-like grasping approach inspired to neuroscience studies. In order to simplify the synthesis of a grasp, a configuration subspace based on few predominant postural synergies of the robotic hand has been computed. This approach was evaluated at kinematic level, showing that power and precise grasps can be performed using up to the third predominant synergy. The talk concludes by outlining active trends and perspectives in the field.

Session 9: Robotics and Mechatronics

Chairs:	Date:	01.11.2013.
Sarfraz UI Haque Minhas, TU Cottbus, Germany	Time:	10:30-12:30
Kurt Gerlach-Hahn, RWTH, Aachen University, Germany	Room:	

Adaptive behavior-based control for robot navigation: a multi-robot case study

Haris Balta* (Royal Military Academy Brussel), Belgium, Salvatore Iengo, Alberto Finzi, Silvia Rossi, Bruno Siciliano, (UNINA), Italy, Geert De Cubber, (Royal Military Academy), Belgium

The main focus of the work presented in this paper is to investigate the application of certain biologically inspired control strategies in the field of autonomous mobile robots, with particular emphasis on multi-robot navigation systems. The control architecture used in this work is based on the behavior based approach. The main argument in favor of this approach was its impressive and rapid practical success. This powerful methodology demonstrated simplicity, parallelism, perception action- mapping and real implementation. When a group of autonomous mobile robots needs to achieve a goal operating in complex dynamic environments, such a task involves high computational complexity and a large volume of data needed for continuous monitoring of internal states and the external environment. Most autonomous mobile robots have limited capabilities in computation power or energy sources with limited capability, such as batteries. Therefore, it becomes necessary to build additional mechanisms on top of the control architecture able to efficiently allocate resources for enhancing the performance of an autonomous mobile robot. For this purpose, it is necessary to build an adaptive behavior-based control system focused on sensory adaptation. This adaptive property will assure efficient use of robot's limited sensorial and cognitive resources. The proposed adaptive behavior-based control system is then validated through simulation experiments in a multi-robot environment with a task of pray/predator scenario.

An experimental electronic interface design for a Two-link elastic robotic arm

Mahsa Doosthoseini, Behzad Kadkhodaei, (Asre Jadid Ariana. Co.), Iran, Moharam Habib Nejad Korayem, Ali Mohammad Shafei, (Iran University of Science and Technology), Iran

Trying to record vibration of an elastic arm for identifying behavior of robot, is one of important case studies in mechatronic science. So in this paper designing an electrical interface with a six channel strain gage data logger, is presented. The high speed vibration of a flexible robotic arm compared to the low speed of software and hardware interface between the computer and experimental setup is one of the most important obstacles for measuring and control of such a systems. In this paper, a combination of using high speed digital to analog convertor (DAC) components on an electrical interface board and using National Instrument's LABVIEW software package is proposed as a solution for this problem. Dynamic modeling of the system is developed based on Gibbs-Appell (G-A) formulation and Assumed Mode Method (AMM). An experimental setup of a Two-link elastic robotic arm is prepared and the electrical interface board works between this experimental setup, user and computer. The input data by the electrical interface board are the number of mode shapes up to 4 for one-link elastic arm and 2 for two-link elastic arm and the profile of the input torque via time. Then these data

transferred to the Elastic arm robotic system. Finally user can see the vibration of the elastic link in graphical interface environment and model validation carried out by comparing both experimental and theoretical results.

Robotic manipulation in dimensional measurement

Samir Lemeš, Malik Čabaravdić, Nermina Zaimović-Uzunović, (University of Zenica), Bosnia and Herzegovina

Three dimensional measurement of complex geometry with Coordinate measuring machines (CMMs) requires multiple clamping and fixturing of measured object. In order to speed-up this process and to reduce the number of fixturing operations, a robotic arm can be used to manipulate the measured object. This paper describes measurement uncertainty analysis of an improved complex measurement system consisting of robotic arm and the coordinate measuring machine.

Gradient based adaptive trajectory tracking control for mobile robots

Dinko Osmankovic, Jasmin Velagic, (University of Sarajevo), Bosnia and Herzegovina

This paper presents a classical approach to model reference adaptive control for trajectory tracking problem. Gradient based or MIT rule adaptation technique was applied to the well known trajectory tracking controller and the mathematical model of that adaptation is presented. The proposed solution is compared to the controller without adaptation and to the feedback linearisation based controller. In both simulation and experimental environments the effectiveness of the proposed adaptive controller is shown and its use justified.

Design and evaluation of a serial elastic actuator for human assistance

Kurt Gerlach-Hahn, Christian Dahmen, Berno Misgeld, Steffen Leonhardt, (RWTH Aachen University), Germany

In this article, the systematic development of a serial elastic actuator for human assistance is presented. First, requirements for the actuator are deduced from the specific application, as part of an assistance robots for partially paralyzed patients. A test bench was developed to evaluate the serial elastic actuator under various conditions and to produce reference sensor data. The device was tested in four different scenarios, ranging from stiff fixation of the output to interaction with the knee joint of an active or passive human test subject. A variable system inherent friction was identified and the potential of this (usually undesired) characteristic is discussed for the special case of human assistance.

Dynamic cycle times for adaptive manufacturing control in automotive flow shops

Raffaello Lepratti, (Siemens AG), Ulrich Berger, (BTU Cottbus), Thomas Creutznacher, (Siemens AG), Sarfraz Ul Hague Minhas, (BTU Cottbus), Germany

The automotive industry has to deal with an increasing complexity of production processes and various kinds of disturbances along the supply chain. This requires a higher level of flexibility through an intelligent production planning from the engineering phase. Today's manufacturing flexibility is mostly provided during the operational phase (so-called runtime) by methodologies for order re-scheduling and re-sequencing. The focus of this paper is a novel concept, which adds the intelligent production planning to these methodologies and uses the synergies of the holistic system. This approach enables flexible automated manufacturing processes by the dynamic use of machine capabilities during run-time. The paper shows in details how the adaption of operating speeds both in manufacturing and material handling processes leads to dynamic cycle times with maximized Key Performance Indicators (KPIs). This concept is based on so-called production variants defined and validated during the engineering phase. First results show stability and good response of the test system.

Tutorial 3: Data Mining from Social and Knowledge Networks		
Coordinatior:	Date:	01.11.2013.
Veljko Milutinović, University of Belgrade, Serbia	Time:	10:30-12:30
	Room:	

Data Mining from Social and Knowledge Networks

Veljko Milutinović, University of Belgrade, Serbia

First, a general introduction into datamining is given, by reviewing the most utilized datamining algorithms. Second, it is explained how these algorithms get modified if they are applied to different computational environments, like: sensor networks, biological networks, social networks, customer networks, etc... Third, one of the above mentioned cases, selected by the audience, is fully elaborated. Forth, it is discussed how datamining can benefit from dataflow supercomputing. Sixth, details of the dataflow programming model are given, in the contex of datamining.

Session 10: Modeling, Identification and Simulation		
Chairs:	Date:	01.11.2013
Hajrudin Efendic, Johannes Kepler University Linz, Austria	Time:	14:00-15:20
Houda Nouasse, ENIT, France	Room:	

Closed-loop Frequency-based Identification Method for Hammerstein Type Plants with a Transport Delay using a Relay Feedback

Željko Jurić, Selma Hanjalić, Hamza Šehović, (University of Sarajevo), Bosnia and Herzegovina

This paper proposes a new closed-loop frequency based method for parametric identification of Hammerstein type plants with a transport delay. The method is a generalization of Ziegler Nichols' (ZN) experiment, with relay added in the control loop. It provides a simultaneous estimation of the parametric model of the plant dynamic, value of the time delay and a point by point relationship between input and output of the nonlinear part of the plant, which need not to be symmetrical. No extra equipment is needed, except the relay and a low pass filter.

Exact Inversion of TSK Fuzzy Systems With Linear Consequents

Cenk Ulu, Müjde Güzelkaya, Ibrahim Eksin, (İstanbul Technical University), Turkey

In literature, there is no exact inversion method for TSK fuzzy systems with linear consequents. In this study, an analytical method is proposed for the exact inversion of TSK fuzzy systems with linear consequents of which input variables are described using strong triangular partitions. When strong triangular partitions are used, the universes of discourse of input variables are divided into specific regions. In the proposed method, linear equations of triangular membership functions of inversion variable and the rule consequents are directly used in the analytical formulation of TSK fuzzy system output. In this way, the output of the TSK fuzzy system can be expressed in a unique quadratic form in terms of the inversion variable for any region where only the parameters of the appropriate equations of triangular membership functions are embedded. Thus, the inverse solution is easily obtained for any region by using explicit solution of the quadratic equation. An illustrative example has been given to validate the proposed method.

Transportation network model with time delay for flood lamination strategy

Houda Nouasse, Pascale Chiron, Bernard Archimède, (ENIT), France

Flooding due to rivers overflowing have affected this year many countries in the world. The engendered problems, due to their intensity, are relative to goods and persons safety, and often cause a sharp increase of the insurance costs, which is no more tolerable in the actual economic context. To prevent these problems, it is necessary to limit water heights downstream the streams. In the literature, numerous described works were done on flows modelling and management. The work presented in this paper, is interested in the quantitative management by means of floods diversion areas placed along the river and for which location and sizing are known. A management method computing the height of gates opening at each time step is proposed. The strategy is based on a transportation network model of the flood diversion area system including the time transfer delays. It allows the computation of the water volumes to be stored in time. Simulation results for different flood episode are discussed.

Fault Isolation using Model-on-Demand Algorithm

Hajrudin Efendic, Luigi del Re, (Johannes Kepler University Linz), Austria

This paper discusses the Model-on-Demand algorithm for fault isolation in large and complex technical systems. The main objective of the proposed algorithm is to improve fault isolation performance metrics by applying a structural analysis approach which targets the isolability problem in structurally time-invariant systems. This objective is achieved by the utilization of a reverse modeling approach in order to modify the structural matrix of the system in such a way to improve its isolability property. The proposed algorithm was tested in a real technical system and an overview of the experimental results is given here.

Session 11: Image Processing, Analysis and Retrival

Chairs:	Date:	01.11.2013
Haris Supic, University of Sarajevo, Bosnia and Herzegovina	Time:	14:00-15:20
Dinko Osmankovic, University of Sarajevo, Bosnia and Herzegovina	Room:	

Evaluation of OpenCL Native Math Functions for Image Processing Algorithms

Damir Demirović, Amira Šerifović-Trbalić, (University of Tuzla), Bosnia and Herzegovina, Philippe Cattin (University of Basel), Switzerland

Image enhancement plays an important role in different research fields such as medical image analysis. Since the same

computations are usually performed on many image elements, those computations can be easily paralelized. Modern GPUs are capable for doing many tasks in parallel. Improving running times on GPUs usually lead to loss of floating point precision. In this paper we evaluate impact of GPU hardware implemented native functions on three GPUs, and one CPU. Bilateral filter with built-in and native math functions were implemented for smoothing noisy brain MRI images. For all experiments widely used error metrics were calculated.

Detecting heat sources from 3D thermal model of indoor environment

Dinko Osmankovic, Jasmin Velagic, (University of Sarajevo), Bosnia and Herzegovina

Recent developments in environment sensing and virtual modelling enabled the construction of virtual models of indoor environments with added thermal information. In this paper we present the methods for heat sources extraction from the 3D thermal model of an indoor environment. They are based on known image segmentation techniques but adjusted to work with 3D models with added thermal information. All data are acquired using an autonomous mobile robot platform equipped with 3D laser scanner and thermal imaging camera.

The study of the best view selection based on human observer

Ivana Varhanikova, Julia Kucerova, Zuzana Cernekova, Michal Hucko, (Comenius University), Slovakia

In this paper we present results from questionnaire focused on searching for the best view on virtual 3D objects. For our research we collected database of virtual models from different categories and we tried to find out if the best view selected by respondents varies from category to category. We performed clustering using von Mises-Fisher mixture model to find out the means of each group of selected views. Following we would like to determine if we can predict the best view similar to the one chosen by questionnaire only by just categorizing examined object.

A Compact Color Descriptor for Image Retrieval

Vedran Ljubovic, Haris Supic, (University of Sarajevo), Bosnia and Herzegovina

The resource usage in Content-Based Image Retrieval is a frequently neglected issue. This paper describes a novel compact feature vector based on image color histograms in the HSL color space. The images are represented using only 10 bytes per image. It is shown that, in the context of Query-by-Example (QbE) usage scenarios, the method described achieves retrieval performance close to the state of the art image retrieval methods that use considerably more memory. It is also shown that the described method outperforms other methods with similar memory usage.

Paper ID and Titles

Paper No.	Title
2	Adaptive Scalable Rate Control over IEEE 802.15.4 using Particle Swarm Optimization
3	An experimental electronic interface design for a Two-link elastic robotic arm
5	Mixed Sensitivity Based Dynamical Anti-Windup Compensator Design using LMI: An Application to Constrained Hot Air Blower System
10	Using Closed Frequent Sets to Cluster Malwares
11	Novel Matrix-based Improvement of Nodal Analysis for Circuits with Singularities
14	Exponential Stability Analysis of Markovian Jump Nonlinear Systems with Mixed Time Delays and Partially Known Transition Probabilities
16	A Passivity Approach to Control of Markovian Jump Systems with Mixed Time-Varying Delays
17	Mathematical Modeling of Vehicle Frontal Crash by a Double Spring-Mass-Damper Model
18	A Novel Approach to Analytically Modeling Switched Reluctance Machine
21	The Effects of Magnetic Circuit Geometry on Torque Generation of 8/14 Switched Reluctance Machine
23	Solving Laplace Differential Equation Using Markov Chains in Monte Carlo Method
24	Predictive Monitoring of Train Wagons Conditions Using Wireless Network Technologies
25	Importance of Stable Velocity in Agile Maintenance
27	Dynamic cycle times for adaptive manufacturing control in automotive flow shops
28	Hierarchical Control of Combined Power Control Resources Mitigating Local Power Grid Fluctuations
29	A Dynamic Sampling Methodology for Plasma Etch Processes using Gaussian Process Regression
30	Evaluation of OpenCL Native Math Functions for Image Processing Algorithms
31	Closed-loop Frequency-based Identification Method for Hammerstein Type Plants with a Transport Delay using a Relay Feedback
32	Exact Inversion of TSK Fuzzy Systems With Linear Consequents
33	Optimal Flux Control of Elevator Drive
34	A novel Evolution Strategy for Constrained Optimization in Engineering Design
37	Intrusion Detection using Neural Network Committee Machine
38	Transportation network model with time delay for flood lamination strategy
39	An Intelligent System for Inspection and Selection of Parts in a Manufacturing Cell
40	A Parallel Algorithm to Induce Decision Trees for Large Datasets
44	Robotic manipulation in dimensional measurement
47	High Performance Disturbance Observer based Control of the Nonlinear 2DOF Helicopter System
48	Estimation and control of brush pressure by using IMC based controller
51	Detecting heat sources from 3D thermal model of indoor environment
52	Current and Future Trends in Al
53	Model Based Predictive Peak Observer Method in Parameter Tuning of PI Controllers
54	Exploiting Parallelization in Explicit Model Predictive Control

59 Automatic FIBEX Generation from CANdb for FlexRay Network 60 Gradient based adaptive trajectory tracking control for mobile robots 61 Design and evaluation of a serial elastic actuator for human assistance 65 On Pole Placement and Invariant Subspaces 67 The study of the best view selection based on human observer. 69 Dynamical Compensation of Bounded External Impacts for Yaw Stabilisation System 70 Modal Synthesis of Astatic Controllers for Yaw Stabilization System 71 Distributed Feedforward Control of Vehicle Dynamics based on Event-Triggered Optimization 72 A Compact Color Descriptor for Image Retrieval 73 Consensus over Multi-Hop Networked Systems subject to Heterogeneous Time Delays 75 Cooperative Load Balancing Algorithm in multiple bottleneck Networks 76 Control and estimation scheme for PV central inverters 77 Output Disturbance Rejection Using Parallel Model Predictive Control 78 Fuzzy Pitch Angle Control of Wind Hybrid Turbine To Power Quality Improvement 79 A Fault-Tolerant Distributed Feedback Control Concept for Chassis Control Systems 80 On-line parameter tuning of discontinous fuzzy friction compensator in linear drive 81 An Algorithm for Boost Converter Efficiency Optimization <th>57</th> <th>Resilient Decentralized Stabilization of Interconnected Networked Systems</th>	57	Resilient Decentralized Stabilization of Interconnected Networked Systems
61 Design and evaluation of a serial elastic actuator for human assistance 65 On Pole Placement and Invariant Subspaces 67 The study of the best view selection based on human observer. 69 Dynamical Compensation of Bounded External Impacts for Yaw Stabilisation System 70 Modal Synthesis of Astatic Controllers for Yaw Stabization System 71 Distributed Feedforward Control of Vehicle Dynamics based on Event-Triggered Optimization 72 A Compact Color Descriptor for Image Retrieval 73 Consensus over Multi-Hop Networked Systems subject to Heterogeneous Time Delays 74 Control and estimation scheme for PV central inverters 77 Output Disturbance Rejection Using Parallel Model Predictive Control 78 Fuzzy Pitch Angle Control of Wind Hybrid Turbine To Power Quality Improvement 79 A Fault-Tolerant Distributed Feedback Control Concept for Chassis Control Systems 80 On-line parameter tuning of discontinous fuzzy friction compensator in linear drive 81 An Algorithm for Boost Converter Efficiency Optimization 82 Adaptive behavior-based control for robot navigation: a multi-robot case study 84 Design of the image-based satellite attitude control algorithm 89 Desible Approach for Determining Safety Parameters for Safe	59	Automatic FIBEX Generation from CANdb for FlexRay Network
65 On Pole Placement and Invariant Subspaces 67 The study of the best view selection based on human observer. 69 Dynamical Compensation of Bounded External Impacts for Yaw Stabilisation System 70 Modal Synthesis of Astatic Controllers for Yaw Stabization System 71 Distributed Feedforward Control of Vehicle Dynamics based on Event-Triggered Optimization 72 A Compact Color Descriptor for Image Retrieval 73 Consensus over Multi-Hop Networked Systems subject to Heterogeneous Time Delays 74 Consensus over Multi-Hop Networked Systems subject to Heterogeneous Time Delays 75 Cooperative Load Balancing Algorithm in multiple bottleneck Networks 76 Control and estimation scheme for PV central inverters 77 Output Disturbance Rejection Using Parallel Model Predictive Control 78 Fuzzy Pitch Angle Control of Wind Hybrid Turbine To Power Quality Improvement 79 A Fault-Tolerant Distributed Feedback Control Concept for Chassis Control Systems 80 On-line parameter tuning of discontinous fuzzy friction compensator in linear drive 81 An Algorithm for Boost Converter Efficiency Optimization 82 Adaptive behavior-based control for robot navigation: a multi-robot case study 84 Design of the image-based satellite attitude	60	Gradient based adaptive trajectory tracking control for mobile robots
67 The study of the best view selection based on human observer. 69 Dynamical Compensation of Bounded External Impacts for Yaw Stabilisation System 70 Modal Synthesis of Astatic Controllers for Yaw Stabization System 71 Distributed Feedforward Control of Vehicle Dynamics based on Event-Triggered Optimization 72 A Compact Color Descriptor for Image Retrieval 73 Consensus over Multi-Hop Networked Systems subject to Heterogeneous Time Delays 75 Cooperative Load Balancing Algorithm in multiple bottleneck Networks 76 Control and estimation scheme for PV central inverters 77 Output Disturbance Rejection Using Parallel Model Predictive Control 78 Fuzzy Pitch Angle Control of Wind Hybrid Turbine To Power Quality Improvement 79 A Fault-Tolerant Distributed Feedback Control Concept for Chassis Control Systems 80 On-line parameter tuning of discontinous fuzzy friction compensator in linear drive 81 An Algorithm for Boost Converter Efficiency Optimization 82 Adaptive behavior-based control for robot navigation: a multi-robot case study 86 Design of the image-based satellite attitude control algorithm 91 Tool to Derive and Calculate Safety Parameters for Safety Integrated Circuits 94 State Dependent Riccati Eq	61	Design and evaluation of a serial elastic actuator for human assistance
69 Dynamical Compensation of Bounded External Impacts for Yaw Stabilisation System 70 Modal Synthesis of Astatic Controllers for Yaw Stabization System 71 Distributed Feedforward Control of Vehicle Dynamics based on Event-Triggered Optimization 72 A Compact Color Descriptor for Image Retrieval 73 Consensus over Multi-Hop Networked Systems subject to Heterogeneous Time Delays 76 Control and estimation scheme for PV central inverters 77 Output Disturbance Rejection Using Parallel Model Predictive Control 78 Fuzzy Pitch Angle Control of Wind Hybrid Turbine To Power Quality Improvement 79 A Fault-Tolerant Distributed Feedback Control Concept for Chassis Control Systems 80 On-line parameter tuning of discontinous fuzzy friction compensator in linear drive 81 An Algorithm for Boost Converter Efficiency Optimization 82 Adaptive behavior-based control for robot navigation: a multi-robot case study 86 Design of the image-based satellite attitude control adgorithm 91 Tool to Derive and Calculate Safety Parameter 92 A possible Approach for Determining Safety Parameters for Safety Integrated Circuits 94 State Dependent Riccati Equation Based Model Reference Adaptive Control Design for Nonlinear Systems 95 Saf	65	On Pole Placement and Invariant Subspaces
70 Modal Synthesis of Astatic Controllers for Yaw Stabization System 71 Distributed Feedforward Control of Vehicle Dynamics based on Event-Triggered Optimization 72 A Compact Color Descriptor for Image Retrieval 73 Consensus over Multi-Hop Networked Systems subject to Heterogeneous Time Delays 75 Cooperative Load Balancing Algorithm in multiple bottleneck Networks 76 Control and estimation scheme for PV central inverters 77 Output Disturbance Rejection Using Parallel Model Predictive Control 78 Fuzzy Pitch Angle Control of Wind Hybrid Turbine To Power Quality Improvement 79 A Fault-Tolerant Distributed Feedback Control Concept for Chassis Control Systems 80 On-line parameter tuning of discontinous fuzzy friction compensator in linear drive 81 An Algorithm for Boost Converter Efficiency Optimization 82 Adaptive behavior-based control for robot navigation: a multi-robot case study 86 Design of the image-based satellite attitude control algorithm 91 Tool to Derive and Calculate Safety Parameter 92 A possible Approach for Determining Safety Parameters for Safety Integrated Circuits 94 State Dependent Riccati Equation Based Model Reference Adaptive Control Design for Nonlinear Systems 95 Safety require	67	The study of the best view selection based on human observer.
71 Distributed Feedforward Control of Vehicle Dynamics based on Event-Triggered Optimization 72 A Compact Color Descriptor for Image Retrieval 73 Consensus over Multi-Hop Networked Systems subject to Heterogeneous Time Delays 75 Cooperative Load Balancing Algorithm in multiple bottleneck Networks 76 Control and estimation scheme for PV central inverters 77 Output Disturbance Rejection Using Parallel Model Predictive Control 78 Fuzzy Pitch Angle Control of Wind Hybrid Turbine To Power Quality Improvement 79 A Fault-Tolerant Distributed Feedback Control Concept for Chassis Control Systems 80 On-line parameter tuning of discontinous fuzzy friction compensator in linear drive 81 An Algorithm for Boost Converter Efficiency Optimization 82 Adaptive behavior-based control for robot navigation: a multi-robot case study 86 Design of the image-based satellite attitude control algorithm 91 Tool to Derive and Calculate Safety Parameter 92 A possible Approach for Determining Safety Parameters for Safety Integrated Circuits 94 State Dependent Riccati Equation Based Model Reference Adaptive Control Design for Nonlinear Systems 95 Safety requirements and safety functions for decentralized controlled autonomous systems 96	69	Dynamical Compensation of Bounded External Impacts for Yaw Stabilisation System
Optimization 72 A Compact Color Descriptor for Image Retrieval 73 Consensus over Multi-Hop Networked Systems subject to Heterogeneous Time Delays 75 Cooperative Load Balancing Algorithm in multiple bottleneck Networks 76 Control and estimation scheme for PV central inverters 77 Output Disturbance Rejection Using Parallel Model Predictive Control 78 Fuzzy Pitch Angle Control of Wind Hybrid Turbine To Power Quality Improvement 79 A Fault-Tolerant Distributed Feedback Control Concept for Chassis 80 On-line parameter tuning of discontinous fuzzy friction compensator in linear drive 81 An Algorithm for Boost Converter Efficiency Optimization 82 Adaptive behavior-based control for robot navigation: a multi-robot case study 86 Design of the image-based satellite attitude control algorithm 91 Tool to Derive and Calculate Safety Parameter 92 A possible Approach for Determining Safety Parameters for Safety Integrated Circuits 94 State Dependent Riccati Equation Based Model Reference Adaptive Control Design for Nonlinear Systems 95 Safety requirements and safety functions for decentralized controlled autonomous systems 96 Emulation Design based Linear Quadratic Regulation 99 <td< td=""><td>70</td><td>Modal Synthesis of Astatic Controllers for Yaw Stabization System</td></td<>	70	Modal Synthesis of Astatic Controllers for Yaw Stabization System
73Consensus over Multi-Hop Networked Systems subject to Heterogeneous Time Delays75Cooperative Load Balancing Algorithm in multiple bottleneck Networks76Control and estimation scheme for PV central inverters77Output Disturbance Rejection Using Parallel Model Predictive Control78Fuzzy Pitch Angle Control of Wind Hybrid Turbine To Power Quality Improvement79A Fault-Tolerant Distributed Feedback Control Concept for Chassis Control Systems80On-line parameter tuning of discontinous fuzzy friction compensator in linear drive81An Algorithm for Boost Converter Efficiency Optimization82Adaptive behavior-based control for robot navigation: a multi-robot case study86Design of the image-based satellite attitude control algorithm91Tool to Derive and Calculate Safety Parameter92A possible Approach for Determining Safety Parameters for Safety Integrated Circuits94State Dependent Riccati Equation Based Model Reference Adaptive Control Design for Nonlinear Systems95Safety requirements and safety functions for decentralized controlled autonomous systems96Emulation Design based Linear Quadratic Regulation199Linear Quadratic Tracking for Noisy Signal with State Space Recursive Least Squares Noise Rejection101Fault Isolation using Model-on-Demand Algorithm102Selecting Samples for Labeling in Unbalanced Streaming Data Environments104Recognizing Actions with the Associative Self-Organizing Map105Optimization of Diagnostics with Respect to the Diagnostic Coverage and the Cost Function<	71	
75 Cooperative Load Balancing Algorithm in multiple bottleneck Networks 76 Control and estimation scheme for PV central inverters 77 Output Disturbance Rejection Using Parallel Model Predictive Control 78 Fuzzy Pitch Angle Control of Wind Hybrid Turbine To Power Quality Improvement 79 A Fault-Tolerant Distributed Feedback Control Concept for Chassis Control Systems 80 On-line parameter tuning of discontinous fuzzy friction compensator in linear drive 81 An Algorithm for Boost Converter Efficiency Optimization 82 Adaptive behavior-based control for robot navigation: a multi-robot case study 86 Design of the image-based satellite attitude control algorithm 91 Tool to Derive and Calculate Safety Parameter 92 A possible Approach for Determining Safety Parameters for Safety Integrated Circuits 94 State Dependent Riccati Equation Based Model Reference Adaptive Control Design for Nonlinear Systems 95 Safety requirements and safety functions for decentralized controlled autonomous systems 96 Emulation Design based Linear Quadratic Regulation 99 Linear Quadratic Tracking for Noisy Signal with State Space Recursive Least Squares Noise Rejection 101 Fault Isolation using Model-on-Demand Algorithm 102 Selecti	72	A Compact Color Descriptor for Image Retrieval
76Control and estimation scheme for PV central inverters77Output Disturbance Rejection Using Parallel Model Predictive Control78Fuzzy Pitch Angle Control of Wind Hybrid Turbine To Power Quality Improvement79A Fault-Tolerant Distributed Feedback Control Concept for Chassis Control Systems80On-line parameter tuning of discontinous fuzzy friction compensator in linear drive81An Algorithm for Boost Converter Efficiency Optimization82Adaptive behavior-based control for robot navigation: a multi-robot case study86Design of the image-based satellite attitude control algorithm91Tool to Derive and Calculate Safety Parameter92A possible Approach for Determining Safety Parameters for Safety Integrated Circuits94State Dependent Riccati Equation Based Model Reference Adaptive Control Design for Nonlinear Systems95Safety requirements and safety functions for decentralized controlled autonomous systems96Emulation Design based Linear Quadratic Regulation99Linear Quadratic Tracking for Noisy Signal with State Space Recursive Least Squares Noise Rejection101Fault Isolation using Model-on-Demand Algorithm102Selecting Samples for Labeling in Unbalanced Streaming Data Environments104Recognizing Actions with the Associative Self-Organizing Map105Optimization of Diagnostics with Respect to the Diagnostic Coverage and the Cost Function106ReadGoGol : Towards Real-Time Notification on Readers' State of Attention108Calculation of Traversing Time Distributions in Semi-Markov Chains with Application on P	73	Consensus over Multi-Hop Networked Systems subject to Heterogeneous Time Delays
77Output Disturbance Rejection Using Parallel Model Predictive Control78Fuzzy Pitch Angle Control of Wind Hybrid Turbine To Power Quality Improvement79A Fault-Tolerant Distributed Feedback Control Concept for Chassis Control Systems80On-line parameter tuning of discontinous fuzzy friction compensator in linear drive81An Algorithm for Boost Converter Efficiency Optimization82Adaptive behavior-based control for robot navigation: a multi-robot case study86Design of the image-based satellite attitude control algorithm91Tool to Derive and Calculate Safety Parameter92A possible Approach for Determining Safety Parameters for Safety Integrated Circuits94State Dependent Riccati Equation Based Model Reference Adaptive Control Design for Nonlinear Systems95Safety requirements and safety functions for decentralized controlled autonomous systems96Emulation Design based Linear Quadratic Regulation99Linear Quadratic Tracking for Noisy Signal with State Space Recursive Least Squares Noise Rejection101Fault Isolation using Model-on-Demand Algorithm102Selecting Samples for Labeling in Unbalanced Streaming Data Environments104Recognizing Actions with the Associative Self-Organizing Map105Optimization of Diagnostics with Respect to the Diagnostic Coverage and the Cost Function106ReadGoGol : Towards Real-Time Notification on Readers' State of Attention108Calculation of Traversing Time Distributions in Semi-Markov Chains with Application on Petri Nets110A Survey on OPC and OPC-UA	75	Cooperative Load Balancing Algorithm in multiple bottleneck Networks
78Fuzzy Pitch Angle Control of Wind Hybrid Turbine To Power Quality Improvement79A Fault-Tolerant Distributed Feedback Control Concept for Chassis Control Systems80On-line parameter tuning of discontinous fuzzy friction compensator in linear drive81An Algorithm for Boost Converter Efficiency Optimization82Adaptive behavior-based control for robot navigation: a multi-robot case study86Design of the image-based satellite attitude control algorithm91Tool to Derive and Calculate Safety Parameter92A possible Approach for Determining Safety Parameters for Safety Integrated Circuits94State Dependent Riccati Equation Based Model Reference Adaptive Control Design for Nonlinear Systems95Safety requirements and safety functions for decentralized controlled autonomous systems96Emulation Design based Linear Quadratic Regulation99Linear Quadratic Tracking for Noisy Signal with State Space Recursive Least Squares Noise Rejection101Fault Isolation using Model-on-Dermand Algorithm102Selecting Samples for Labeling in Unbalanced Streaming Data Environments104Recognizing Actions with the Associative Self-Organizing Map105Optimization of Diagnostics with Respect to the Diagnostic Coverage and the Cost Function108ReadGoGol : Towards Real-Time Notification on Readers' State of Attention108Calculation of Traversing Time Distributions in Semi-Markov Chains with Application on Petri Nets110A Survey on OPC and OPC-UA111New Web Information Retrieval paradigm based on a Multi-Space Interpretation Ind	76	Control and estimation scheme for PV central inverters
79A Fault-Tolerant Distributed Feedback Control Concept for ChassisControl Systems80On-line parameter tuning of discontinous fuzzy friction compensator in linear drive81An Algorithm for Boost Converter Efficiency Optimization82Adaptive behavior-based control for robot navigation: a multi-robot case study86Design of the image-based satellite attitude control algorithm91Tool to Derive and Calculate Safety Parameter92A possible Approach for Determining Safety Parameters for Safety Integrated Circuits94State Dependent Riccati Equation Based Model Reference Adaptive Control Design for Nonlinear Systems95Safety requirements and safety functions for decentralized controlled autonomous systems96Emulation Design based Linear Quadratic Regulation99Linear Quadratic Tracking for Noisy Signal with State Space Recursive Least Squares Noise Rejection101Fault Isolation using Model-on-Demand Algorithm102Selecting Samples for Labeling in Unbalanced Streaming Data Environments104Recognizing Actions with the Associative Self-Organizing Map105Optimization of Diagnostics with Respect to the Diagnostic Coverage and the Cost Function106ReadGoGol : Towards Real-Time Notification on Readers' State of Attention108Calculation of Traversing Time Distributions in Semi-Markov Chains with Application on Petri Nets110A Survey on OPC and OPC-UA111New Web Information Retrieval paradigm based on a Multi-Space Interpretation Index and	77	Output Disturbance Rejection Using Parallel Model Predictive Control
80On-line parameter tuning of discontinous fuzzy friction compensator in linear drive81An Algorithm for Boost Converter Efficiency Optimization82Adaptive behavior-based control for robot navigation: a multi-robot case study86Design of the image-based satellite attitude control algorithm91Tool to Derive and Calculate Safety Parameter92A possible Approach for Determining Safety Parameters for Safety Integrated Circuits94State Dependent Riccati Equation Based Model Reference Adaptive Control Design for Nonlinear Systems95Safety requirements and safety functions for decentralized controlled autonomous systems96Emulation Design based Linear Quadratic Regulation99Linear Quadratic Tracking for Noisy Signal with State Space Recursive Least Squares Noise Rejection101Fault Isolation using Model-on-Demand Algorithm102Selecting Samples for Labeling in Unbalanced Streaming Data Environments104Recognizing Actions with the Associative Self-Organizing Map105Optimization of Diagnostics with Respect to the Diagnostic Coverage and the Cost Function106ReadGoGol : Towards Real-Time Notification on Readers' State of Attention108Calculation of Traversing Time Distributions in Semi-Markov Chains with Application on Petri Nets110A Survey on OPC and OPC-UA111New Web Information Retrieval paradigm based on a Multi-Space Interpretation Index and	78	Fuzzy Pitch Angle Control of Wind Hybrid Turbine To Power Quality Improvement
81An Algorithm for Boost Converter Efficiency Optimization82Adaptive behavior-based control for robot navigation: a multi-robot case study86Design of the image-based satellite attitude control algorithm91Tool to Derive and Calculate Safety Parameter92A possible Approach for Determining Safety Parameters for Safety Integrated Circuits94State Dependent Riccati Equation Based Model Reference Adaptive Control Design for Nonlinear Systems95Safety requirements and safety functions for decentralized controlled autonomous systems96Emulation Design based Linear Quadratic Regulation99Linear Quadratic Tracking for Noisy Signal with State Space Recursive Least Squares Noise Rejection101Fault Isolation using Model-on-Dermand Algorithm102Selecting Samples for Labeling in Unbalanced Streaming Data Environments104Recognizing Actions with the Associative Self-Organizing Map105Optimization of Diagnostics with Respect to the Diagnostic Coverage and the Cost Function106ReadGoGo! : Towards Real-Time Notification on Readers' State of Attention108Calculation of Traversing Time Distributions in Semi-Markov Chains with Application on Petri Nets110A Survey on OPC and OPC-UA111New Web Information Retrieval paradigm based on a Multi-Space Interpretation Index and	79	A Fault-Tolerant Distributed Feedback Control Concept for Chassis Control Systems
82Adaptive behavior-based control for robot navigation: a multi-robot case study86Design of the image-based satellite attitude control algorithm91Tool to Derive and Calculate Safety Parameter92A possible Approach for Determining Safety Parameters for Safety Integrated Circuits94State Dependent Riccati Equation Based Model Reference Adaptive Control Design for Nonlinear Systems95Safety requirements and safety functions for decentralized controlled autonomous systems96Emulation Design based Linear Quadratic Regulation99Linear Quadratic Tracking for Noisy Signal with State Space Recursive Least Squares Noise Rejection101Fault Isolation using Model-on-Demand Algorithm102Selecting Samples for Labeling in Unbalanced Streaming Data Environments104Recognizing Actions with the Associative Self-Organizing Map105Optimization of Diagnostics with Respect to the Diagnostic Coverage and the Cost Function106ReadGoGol : Towards Real-Time Notification on Readers' State of Attention108Calculation of Traversing Time Distributions in Semi-Markov Chains with Application on Petri Nets110A Survey on OPC and OPC-UA111New Web Information Retrieval paradigm based on a Multi-Space Interpretation Index and	80	On-line parameter tuning of discontinous fuzzy friction compensator in linear drive
86Design of the image-based satellite attitude control algorithm91Tool to Derive and Calculate Safety Parameter92A possible Approach for Determining Safety Parameters for Safety Integrated Circuits94State Dependent Riccati Equation Based Model Reference Adaptive Control Design for Nonlinear Systems95Safety requirements and safety functions for decentralized controlled autonomous systems96Emulation Design based Linear Quadratic Regulation99Linear Quadratic Tracking for Noisy Signal with State Space Recursive Least Squares Noise Rejection101Fault Isolation using Model-on-Demand Algorithm102Selecting Samples for Labeling in Unbalanced Streaming Data Environments104Recognizing Actions with the Associative Self-Organizing Map105Optimization of Diagnostics with Respect to the Diagnostic Coverage and the Cost Function106ReadGoGol : Towards Real-Time Notification on Readers' State of Attention108Calculation of Traversing Time Distributions in Semi-Markov Chains with Application on Petri Nets110A Survey on OPC and OPC-UA111New Web Information Retrieval paradigm based on a Multi-Space Interpretation Index and	81	An Algorithm for Boost Converter Efficiency Optimization
91Tool to Derive and Calculate Safety Parameter92A possible Approach for Determining Safety Parameters for Safety Integrated Circuits94State Dependent Riccati Equation Based Model Reference Adaptive Control Design for Nonlinear Systems95Safety requirements and safety functions for decentralized controlled autonomous systems96Emulation Design based Linear Quadratic Regulation99Linear Quadratic Tracking for Noisy Signal with State Space Recursive Least Squares Noise Rejection101Fault Isolation using Model-on-Demand Algorithm102Selecting Samples for Labeling in Unbalanced Streaming Data Environments104Recognizing Actions with the Associative Self-Organizing Map105Optimization of Diagnostics with Respect to the Diagnostic Coverage and the Cost Function106ReadGoGol : Towards Real-Time Notification on Readers' State of Attention108Calculation of Traversing Time Distributions in Semi-Markov Chains with Application on Petri Nets110A Survey on OPC and OPC-UA111New Web Information Retrieval paradigm based on a Multi-Space Interpretation Index and	82	Adaptive behavior-based control for robot navigation: a multi-robot case study
92A possible Approach for Determining Safety Parameters for Safety Integrated Circuits94State Dependent Riccati Equation Based Model Reference Adaptive Control Design for Nonlinear Systems95Safety requirements and safety functions for decentralized controlled autonomous systems96Emulation Design based Linear Quadratic Regulation99Linear Quadratic Tracking for Noisy Signal with State Space Recursive Least Squares Noise Rejection101Fault Isolation using Model-on-Demand Algorithm102Selecting Samples for Labeling in Unbalanced Streaming Data Environments104Recognizing Actions with the Associative Self-Organizing Map105Optimization of Diagnostics with Respect to the Diagnostic Coverage and the Cost Function106ReadGoGo! : Towards Real-Time Notification on Readers' State of Attention108Calculation of Traversing Time Distributions in Semi-Markov Chains with Application on Petri Nets110A Survey on OPC and OPC-UA111New Web Information Retrieval paradigm based on a Multi-Space Interpretation Index and	86	Design of the image-based satellite attitude control algorithm
94State Dependent Riccati Equation Based Model Reference Adaptive Control Design for Nonlinear Systems95Safety requirements and safety functions for decentralized controlled autonomous systems96Emulation Design based Linear Quadratic Regulation99Linear Quadratic Tracking for Noisy Signal with State Space Recursive Least Squares Noise Rejection101Fault Isolation using Model-on-Demand Algorithm102Selecting Samples for Labeling in Unbalanced Streaming Data Environments104Recognizing Actions with the Associative Self-Organizing Map105Optimization of Diagnostics with Respect to the Diagnostic Coverage and the Cost Function106ReadGoGol : Towards Real-Time Notification on Readers' State of Attention108Calculation of Traversing Time Distributions in Semi-Markov Chains with Application on Petri Nets110A Survey on OPC and OPC-UA111New Web Information Retrieval paradigm based on a Multi-Space Interpretation Index and	91	Tool to Derive and Calculate Safety Parameter
Nonlinear Systems95Safety requirements and safety functions for decentralized controlled autonomous systems96Emulation Design based Linear Quadratic Regulation99Linear Quadratic Tracking for Noisy Signal with State Space Recursive Least Squares Noise Rejection101Fault Isolation using Model-on-Demand Algorithm102Selecting Samples for Labeling in Unbalanced Streaming Data Environments104Recognizing Actions with the Associative Self-Organizing Map105Optimization of Diagnostics with Respect to the Diagnostic Coverage and the Cost Function106ReadGoGo! : Towards Real-Time Notification on Readers' State of Attention108Calculation of Traversing Time Distributions in Semi-Markov Chains with Application on Petri Nets110A Survey on OPC and OPC-UA111New Web Information Retrieval paradigm based on a Multi-Space Interpretation Index and	92	A possible Approach for Determining Safety Parameters for Safety Integrated Circuits
 Emulation Design based Linear Quadratic Regulation Linear Quadratic Tracking for Noisy Signal with State Space Recursive Least Squares Noise Rejection Fault Isolation using Model-on-Demand Algorithm Selecting Samples for Labeling in Unbalanced Streaming Data Environments Recognizing Actions with the Associative Self-Organizing Map Optimization of Diagnostics with Respect to the Diagnostic Coverage and the Cost Function ReadGoGol : Towards Real-Time Notification on Readers' State of Attention Calculation of Traversing Time Distributions in Semi-Markov Chains with Application on Petri Nets A Survey on OPC and OPC-UA New Web Information Retrieval paradigm based on a Multi-Space Interpretation Index and 	94	
 99 Linear Quadratic Tracking for Noisy Signal with State Space Recursive Least Squares Noise Rejection 101 Fault Isolation using Model-on-Demand Algorithm 102 Selecting Samples for Labeling in Unbalanced Streaming Data Environments 104 Recognizing Actions with the Associative Self-Organizing Map 105 Optimization of Diagnostics with Respect to the Diagnostic Coverage and the Cost Function 106 ReadGoGol : Towards Real-Time Notification on Readers' State of Attention 108 Calculation of Traversing Time Distributions in Semi-Markov Chains with Application on Petri Nets 110 A Survey on OPC and OPC-UA 111 New Web Information Retrieval paradigm based on a Multi-Space Interpretation Index and 	95	Safety requirements and safety functions for decentralized controlled autonomous systems
Rejection101Fault Isolation using Model-on-Demand Algorithm102Selecting Samples for Labeling in Unbalanced Streaming Data Environments104Recognizing Actions with the Associative Self-Organizing Map105Optimization of Diagnostics with Respect to the Diagnostic Coverage and the Cost Function106ReadGoGo! : Towards Real-Time Notification on Readers' State of Attention108Calculation of Traversing Time Distributions in Semi-Markov Chains with Application on Petri Nets110A Survey on OPC and OPC-UA111New Web Information Retrieval paradigm based on a Multi-Space Interpretation Index and	96	Emulation Design based Linear Quadratic Regulation
 Selecting Samples for Labeling in Unbalanced Streaming Data Environments Recognizing Actions with the Associative Self-Organizing Map Optimization of Diagnostics with Respect to the Diagnostic Coverage and the Cost Function ReadGoGo! : Towards Real-Time Notification on Readers' State of Attention Calculation of Traversing Time Distributions in Semi-Markov Chains with Application on Petri Nets A Survey on OPC and OPC-UA New Web Information Retrieval paradigm based on a Multi-Space Interpretation Index and 	99	
 104 Recognizing Actions with the Associative Self-Organizing Map 105 Optimization of Diagnostics with Respect to the Diagnostic Coverage and the Cost Function 106 ReadGoGo! : Towards Real-Time Notification on Readers' State of Attention 108 Calculation of Traversing Time Distributions in Semi-Markov Chains with Application on Petri Nets 110 A Survey on OPC and OPC-UA 111 New Web Information Retrieval paradigm based on a Multi-Space Interpretation Index and 	101	Fault Isolation using Model-on-Demand Algorithm
 105 Optimization of Diagnostics with Respect to the Diagnostic Coverage and the Cost Function 106 ReadGoGo! : Towards Real-Time Notification on Readers' State of Attention 108 Calculation of Traversing Time Distributions in Semi-Markov Chains with Application on Petri Nets 110 A Survey on OPC and OPC-UA 111 New Web Information Retrieval paradigm based on a Multi-Space Interpretation Index and 	102	Selecting Samples for Labeling in Unbalanced Streaming Data Environments
 106 ReadGoGo! : Towards Real-Time Notification on Readers' State of Attention 108 Calculation of Traversing Time Distributions in Semi-Markov Chains with Application on Petri Nets 110 A Survey on OPC and OPC-UA 111 New Web Information Retrieval paradigm based on a Multi-Space Interpretation Index and 	104	Recognizing Actions with the Associative Self-Organizing Map
 Calculation of Traversing Time Distributions in Semi-Markov Chains with Application on Petri Nets A Survey on OPC and OPC-UA New Web Information Retrieval paradigm based on a Multi-Space Interpretation Index and 	105	Optimization of Diagnostics with Respect to the Diagnostic Coverage and the Cost Function
Nets110A Survey on OPC and OPC-UA111New Web Information Retrieval paradigm based on a Multi-Space Interpretation Index and	106	ReadGoGo! : Towards Real-Time Notification on Readers' State of Attention
111 New Web Information Retrieval paradigm based on a Multi-Space Interpretation Index and	108	
	110	A Survey on OPC and OPC-UA
	111	

Author Index

First Name	Last NamePaper No.	First Name	Last NamePaper No.
Mehdi	Adda111	Magnus	Johnsson104
Abrar	Ahmed5	Željko	Jurić11, 31
Rahat	Ali96, 99	Behzad Kadkhodaei	Eliaderani3
Carlos	Andrade-Cabrera77	Mehmed	Kantardzic102
Anilú Franco	Árcega40	Hamid Reza	Karimi14, 16, 17
Bernard	Archimède38	Hiroyuki	Kawai48
Naser	Babaei94	Hassan	Kazemian2
Naim	Bajcinca65, 71, 79	9 Gregor	Klančar86
Haris	Balta82	Bojan	Knezevic33
Ulrich	Berger27	Mladen	Knezic81
Branko	Blanusa	Nobuaki	Kobayashi48
Cedric	Bodet	Rasit	Koker
Josef	Börcsök91,92,105,110) Mario	Kokorus23
Miriam	Buonamente104	Moharam Habib Nejad	Korayem3
Emir	Buza25	Ossmane	Krini91
Mehmet	Can34	Julia	Kucerova67
Philippe	Cattin30	Ali Osman	Kusakci
Zuzana	Cernekova67	Suguru	Kuzuhara48
Pascale	Chiron	Suk	Lee59
Mirsad	Cosovic21	Kyung Chang	Lee59
Thomas	Creutznacher27	Samir	Lemeš44
Malik	Čabaravdić44	Steffen	Leonhardt61
Christian	Dahmen61	Raffaello	Lepratti27
Geert	De Cubber82	Virgilio	Lopez-Morales39
Luigi	del Re101	Vedran	Ljubovic72
Kemal	Delic52	Jan	Maciejowski77
Damir	Demirović30	Magdi	Mahmoud57
Haris	Dindo104	Bahador	Makki16
Mahsa	Doosthoseini3	Baharak	Makki16
Hajrudin	Efendic101	Mohammad	Malik96, 99
Mohamad	Eid106	Sabato	Manfredi73, 75
Ibrahim	Eksin32, 53	Semsudin	Masic18, 21
Andres	Fernandez106	Drago	Matko86
Alberto	Finzi82	Francesco	Mauro24
Ken	Fisher2	Hamid	Mcheick111
Linda Gladiola	Flores40	Sean	Mcloone29
Mirko	Franceschinis24	Carlos	Meza76
Nobuaki	Fujiki48	Sarfraz UI Haque	Minhas27
Kurt	Gerlach-Hahn61	Berno	Misgeld61
Saeid	Ghaderi78	Bernard	Munyazikwiye17
Reza	Ghandehari78	Gašper	Mušič86
Shaban	Gumma71	Houda	Nouasse38
Müjde	Güzelkaya32, 53	Samir	Omanovic25
Faruk	Hadziomerovic108	Romeo	Ortega76
Amel	Hannech111	Dinko	Osmankovic51, 60
Selma	Hanjalić31	Nedim	Osmic47
Mujo	Hebibovic47	Karim	Ouazzane2
Peter	Holub92, 105	Claudio	Pastrone24
Michal	Hucko67	Helfried	Peyrl54
Han	Huo102	Adam	Rhodes10
Alma	Husagić-Selman37	Jeff	Riley52
Salvatore	lengo82	Kjell	Robbersmyr17
Naeem	lqbal5	Mario	Rossi24
Juan Carlos González	Islas	Silvia	Rossi
Zeljko	Ivanovic81	Erdinc	Sahin
Mahmoud	Jafargholi54	Metin	Salamci
Marcin	Jastrzębski80	Almir	Salihbegovic47

First Name Muhammad Iman Anett Michael Zäzilia Suvad Egjyot Singh Ali Mohammad Zeeshan Peng Bruno Igor Senad Mikhail Maria Emir Kemo Younghun Maurizio Alan

Last Name.....Paper No.

Salman.....96, 99 Samizadeh.....2 Schuelke......28 Schwarz.....110 Seibold......95 Selman.....37 Sethi.....102 Shafei.....3 Shareef.....5 Shi.....14 Siciliano.....82 Skrjanc......86 Smaka......18, 21 Smirnov......69, 70 Smirnova......69, 70 Sokic.....47 Sokolija.....23 Song......59 Spirito.....24 Sprague.....10

First Name	Last NamePaper No.
Thomas	Stoll
Joel	Suárez-Cansino39, 40
Haris	Supic72
Ryoichi	Suzuki48
Hamza	Šehović31
Amira	Šerifović-Trbalić30
Harun	Šiljak11
Daniel de Jesús Cano	Tejeda39
Andreas	Trenkle95
Cenk	Ulu32
Ivana	Varhanikova67
Nastaran	Vasegh78
Jasmin	Velagic51, 60
Hans-Dieter	Wacker105
Jian	Wan29
Во	Wang14
Gary	Warner10
Nermina	Zaimović-Uzunović 44
Alessandro	Zanarini54
Andrej	Zdešar86

Notes

XXIV International Conference on Information, Communication and Automation Technologies ICAT 2013

has been supported by



ENERGOINVEST - SUE Sistemi upravljanja energijom







Mi smo uvijek bili... **i ostajemo uz Vas!** BH Telecom

ulažemo, investiramo, zapošljavamo...



XXIV International Conference on Information, Communication and Automation Technologies

ICAT-2013

Conference Program

Time	Room: Banjaluka	Room: Sarajevo	
	Wednesday, 30.10.	-	
08:00-09:00 Registration			
08:30-09:00	Opening Ceremony		
09:00-10:00	Plenary Talk 1 Magdi Sadek Mahmoud KFUPM, KSA		
10:00-11:00	Plenary Talk 2 Veljko Milutinović University of Belgrade, Serbia		
11:00-11:30	Coffe Break		
11:30-13:30	Regular Session 1 Networked Based Systems and Control	Tutorial 1 Control Allocation & Fault-Tolerant Control Systems	
13:30-14:30	Lunch		
14:30-16:30	Regular Session 2 Control Applications	Regular Session 3 Data Mining and Web Information Systems	
16:30-17:00	Coffe Break		
17:00-19:00	Regular Session 4 Electric Machines, Drives and Inverters	Workshop 1 Rohde & Schwarz Industrial Presentation	
19:00-20:00	Round Table Internet of Things	Regional Initiative: TV WEB	
20:30-22:00	Welcome Cocktail		
	Thursday, 31.10.2	013.	
09:00-10:00	Plenary Talk 3 Eduardo Camacho University of Seville, Spain		
10:00-10:30	Coffe Break		
10:30-12:30	Regular Session 5 Adaptive, robust and optimal control	Workshop 2 Safety Aspects for Automation and Process Industries	
12:30-13:30	Lunch		
13:30-15:30	Regular Session 6 Model based, Predictive and Distributed Control	Tutorial 2 Enhancing Customer Experience over Broadband Access Networks	
15:30-16:00	Coffe Break		
16:00-18:00	Regular Session 7 Intelligent Systems and Applications	Regular Session 8 Mathematical Methods in Engineering	
19:00-22:00	Gala Dinner		
	Friday, 01.11.201	13.	
09:00-10:00	Plenary Talk 4 Bruno Siciliano University of Naples Federico II, Italy		
10:00-10:30	Coffe Break		
10:30-12:30	Regular session 9 Robotics and Mechatronics	Tutorial 3 Data Mining from Social and Knowledge Networks	
13:00-14:00	Lunch		
14:00-15:20	Regular Session 10 Modeling, Identification and Simulation	Regular Session 11 Image Processing, Analysis and Retrieval	
15:30-16:00	Closing Ceremony		



ENERGOINVEST - SUE Sistemi upravljanja energijom



